

Why Orient Electric Air Coolers

Today, when the air pollution levels are breaking records every day, the home is our only safe haven. Therefore, we must ensure that the indoor air remains pure and healthy.

This is why, Orient Electric air coolers are designed to give you not just a cool breeze, but the air that is fresh and healthy. Unlike other air-cooling devices, these coolers ensure fresh air ventilation and not just the circulation of the same air. With revolutionary technologies like DenseNest for efficient water retention and AeroFan for the longest and the strongest air throw, Orient air coolers make summertime truly blissful.

Apart from this, these coolers feature futuristic technologies like IoT and Voice Control so that you can operate your cooler from anywhere. Now you can supercool your room even before you enter it.

Trust the best



Award-Winning Quality And Performance



Superbrand India 2020-21

The Economic Times Best Brands 2019






Frost And Sullivan **New Product Innovation** Leadership Award India 2019



Best Design Award India 2019



A range as diverse as your preferences

As the summers step in, we all crave that cool and fresh breeze from an air cooler. While the basic function remains the same, different customers have unique preferences when it comes to air coolers.

Orient Electric is a one-stop-solution for your air cooling needs. We have a complete range of air coolers of all sizes, shapes, capacities, and features. Whichever cooler you choose, it's an Orient promise that your home will be filled with cool, fresh, and healthy air the moment you push that switch on.















Closed Outdoor

W 2 W S S

S







30 cm =

130 cm —

120 cm —

110 cm —

100 cm =

90 cm =

80 cm =

70 cm —

60 cm =


50 cm —

40 cm —

DESERT COOLERS With the temperature breaking records every summer,

Orient Electric Desert Coolers are the perfect solution. The combination of large tank capacity and powerful fan motor allows these sturdy air coolers to throw fresh, healthy air everywhere, all day long. The superior air delivery, powerful air throw, high cooling efficiency, along with low noise & easy manoeuvrability, make


these coolers the best in their segment.



Ultimo+ 65 CD6507H

Ultimo+ 50 CD5007H









High-Gloss Durable Body





Higher Air Delivery
3650m³/hr
with a 3-speed motor



Ice Chamber
For quick cooling



Prevents Mosquito
Breeding




Fully Collapsible Louvres





















loT-Enabled (Optional) Remote Control With timer (optional)





Longest Air Throw With Aerofan Technology



Higher Air Delivery
3650m³/hr with
a 3-speed motor



Prevents Mosquito Breeding



Ice Chamber For quick cooling



Cord Winder



Powerful Air Delivery 4000m ³/hr with a 5-blade fan



Fully Collapsible Louvres



High-Gloss Durable Body



Low Power Consumption Saves electricity -180W

50 cm —

40 cm —

130 cm —

120 cm —

110 cm —

100 cm —

90 cm —

80 cm =

70 cm —

60 cm —

30 cm —


20 cm —

Knight 70 CD7002HR, CD7003H, CD7005HI, CD7006HIT*

CD6501H, CD6503HI, CD6502HR, CD6506HIT*

















Longest Air Throw With Aerofan Technology



lce Chamber For quick cooling Ice Chamber



Higher Air Delivery 3650m³/hr with a 3-speed motor



Prevents Mosquito Breeding





Inverter-Compatible Uninterrupted cooling during power cuts

Fully Collapsible Louvres





Higher Air Delivery 3650m³/hr with a 3-speed motor



Low Power Consumption Saves electricity -190W





Higher Air Delivery
3500m³/hr with a 3-speed motor



High-Gloss Durable Body



Ice Chamber
For quick cooling





Higher Air Delivery 3600m³/hr



Remote Control With timer (optional)



Higher Air Delivery 3200m³/hr



Wood Wool Cooling Pads*

60 cm — 50 cm =

40 cm —

130 cm —

120 cm =

110 cm —

100 cm =

90 cm ___


80 cm =

70 cm —

30 cm —

20 cm —

Aerochill 51 CD5101B, CD5102H











Ocean Air Trendy 70

CD7004HR, CD7001H



High-Gloss Durable Body



Inverter-Compatible
Uninterrupted cooling
during power cuts


































Wood Wool Cooling Pads

50 cm =

40 cm —

30 cm —


60 cm =

120 cm —


110 cm —

100 cm =

20 cm —









Snowbreeze Slim 66 & 55 CD6601H, CD5501H






optimum

cooling

Higher Air Delivery

Aluminium Wide
Fan Blades
For powerful air flow



Auto Filling of Tank



Longer Life With Copper Motor



Carbon Dust Filter To keep dust away



Inverter-Compatible
Uninterrupted cooling during power cuts





4-Way Cooling





High-Gloss Durable Body











Cools up to: 5.4 sq. mts.* *Estimated area based on 3mts (10ft) ceiling height and an all-sides-covered room.













PERSONAL COOLERS

Different people, different choices. With this thought at the core of its design, Orient's range of Personal Coolers offers coolers of different sizes, shapes, and designs. You can simply pick one that complements your home or workspace perfectly. They're equipped with a powerful blower that packs a punch when it comes to air delivery. Their easy-lift handles and castor wheels make it easy to move them around so that you can enjoy fresh and healthy air wherever you wish.









Prevents Mosquito Breeding



Remote ControlWith timer (optional)







Ice Chamber
For quick cooling Ice Chamber



Low Power Consumption

Saves electricity -135W

30 cm — 20 cm =

90 cm =


70 cm —

60 cm =

50 cm —

40 cm =

Supercool Trendy 52 & 30 CP5202H, CP3002H, CP3001H (Manual Model)







4-Way Cooling







____ 90 cm



Higher Air Delivery 1300m³/hr with 3-speed motor



Dust Filter
Keeps dust away



Ice Chamber For quick cooling



Remote Control
With timer (optional)





Higher Air Delivery 500m³/hr with a 3-speed motor



4-Way Cooling
Motorised vertical louvres





Higher Air Delivery 350m³/hr



Power Consumption 2.7W



Regulates water inflow as per the season



Remote Control



ATKTS60SP



Power Consumption 126W







Remote Control

Smartcool DX 35, 20 & 16 CP3501H, CP2002H, CP2003H, CP1601H










optimum cooling









4-Way Cooling
Motorised vertical
louvres



Carbon Dust Filter
Keeps dust away



Ice Chamber
For quick cooling



Inverter-Compatible





Inverter-Compatible
Uninterrupted cooling
during power cuts

80 cm —

70 cm —

60 cm =

50 cm ___

40 cm _=

30 cm <u>=</u>

20 cm —

















SUPERCOOLER SERIES

Whatever the weather conditions, our Outdoor Air Coolers are built to deliver fresh and healthy air without any interruption. Coated with specialised powder coated GPSP sheets, these coolers can withstand extremely harsh weather conditions. Their new LockMatic™ Technology keeps the tank leak-proof and cool. The latest AeroFan Technology makes these coolers ideal for large and open spaces, where you can easily move them around on a trolley.





Toofan Slim 105 OD1055H

Toofan Slim 85 OD8505H







Prevents Mosquito



Longest Air Throw With Aerofan Technology

4-Way Cooling




Rust Proof with Powder-Coated **GPSP Sheet**









130 cm —

120 cm —

110 cm =

100 cm =

90 cm —

80 cm —

70 cm —

60 cm —

50 cm =

40 cm =

30 cm —

















110 cm —

100 cm -=

90 cm —

80 cm —

70 cm —

60 cm —


50 cm —

40 cm —

30 cm —

20 cm —


Prevents Mosquito Breeding



WINDOW COOLERS

The innovative Window Coolers are equipped with a myriad of features that make your life easier. The large water tank capacity ensures that you can easily fill it and forget. The advanced 4-way deflection system cools the room evenly. The combo of special Humidity Control and the Fragrance Chamber turns humid air into a fresh, healthy, and pleasantly cool breeze.

The icing on the cake is that these coolers are built to consume less energy and save power.





Power & water-saving



Longest Air Throw With Aerofan Technology



Auto Filling of Tank

RUST

Rust Proof with

Powder-Coated GPSP Sheet



LockMatic™ Technology Keeps the tank cool and












Premium Finish With Patented Grill



Magicool Pro 50 CW5004B







Humidity Control
Ensures comfort
with cooling



Fragrance Chamber
Keeps it fresh always



Magicool Neo 50 CW5003B



Higher Air Delivery 2000m³/hr with 9/3-speed motor

CW5501B, CW5502B

₩ weather-Resistant Colour
Doesn't fade in any weather



Wood Wool Cooling Pads

Inverter-Compatible
Uninterrupted cooling
during power cuts



Higher Air Delivery 2000m³/hr with



4-Way Cooling
Motorised vertical



Wood Wool Cooling Pads



High-Gloss Durable Body



Inverter-Compatible
Uninterrupted cooling
during power cuts



















loT-Enabled (Optional)



Remote ControlWith timer (optional)





loT-Enabled (Optional)



Remote Control
With timer (optional)



loT-Enabled (Optional)



Remote Control
With timer (optional)

70 cm = 60 cm —

> 50 cm — 40 cm —

140 cm —

130 cm —

120 cm =


110 cm —

100 cm =


90 cm =

30 cm —

10 cm —















lce Chamber For quick cooling





Cord Winder





Slidable Dust Filter Keeps dust away




4-Way Cooling Motorised vertical



Inverter-Compatible during power cuts





TOWER COOLER

with our range of Tower Coolers.

Comfort shouldn't depend on how much space you've

got. Bring home these sleek and tall air coolers specially designed for rooms with limited space. They can easily fit in a corner while ensuring a powerful flow of fresh

and healthy throughout the room (especially at the bed level). Amp up your style as well as comfort quotient











30 cm — 20 cm —

120 cm —

110 cm —

100 cm —≡

90 cm —

80 cm —

70 cm —

60 cm —

50 cm —

40 cm —

AT606AE









For optimum



Higher Air Delivery



For quick cooling



4-Way Cooling Motorised vertical



Regulates water inflow as per the season

























Model Numbe	Model Number		CD6507H	CD5007H	CD7002HR/CD7005HI	CD7003H	CD7006HIT	CD6503HI/CD6502HR	CD6501H	CD6506HIT	CD5003H	CD5006HIT
Model Name		KNIGHT+ 70	Ultimo+ 65	ULTIMO+ 50	KNIGHT 70	KNIGHT 70	i-KNIGHT 70	ULTIMO 65	ULTIMO 65	1-ULTIMO 65	ULTIMO 50	1-ULTIMO 50
Mode of Operati	Mode of Operation		Manual	Manual	Remote/IOT	Manual	Remote/IOT	Remote/IOT	Manual	Manual	Manual	Manual
Cooling Medium		DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb
Water Tank Capacity (Litres upto brim)		70Ltrs	65Ltrs	50Ltrs	70Ltrs	70Ltrs	70Ltrs	65Ltrs	65Ltrs	65Ltrs	50Ltrs	50Ltrs
Power Consumption (Power Consumption (Wattage)		190W	190W	190W	190W	190W	190W	190W	190W	190W	190W
Air Delivery (Cu.m	n./hr)	3650	3650	3650	3650	3650	3650	3650	3650	3650	3650	3650
Air Throw Distance (Metres)	18.3mtrs	18.3mtrs	18.3mtrs	18.3mtrs	18.3mtrs	18.3mtrs	18.3mtrs	18.3mtrs	18.3mtrs	18.3mtrs	18.3mtrs
Auto Fill		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Water Level Indic	Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control - 3/	Speed Control - 3/RPM		H,M,L 1330, 1250, 1170	H,M,L 1330,1250, 1170	H,M,L 1330, 1250, 1170	H,M,L 1330, 1250, 1170	H,M,L 1330, 1250, 1170	H,M,L 1330, 1250, 1170				
Blower/Fan Ty	Blower/Fan Type		Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan/16 inch				
Castor/Trolley	Castor/Trolley		5 Castor Wheels	4 Castor Wheels	5 Castor Wheels	5 Castor Wheels	5 Castor Wheels	4 Castor Wheels	5 Castor Wheels	5 Castor Wheels	4 Castor Wheels	5 Castor Wheels
Prevents Mosquito B	Prevents Mosquito Breeding		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Anti-bacterial filter		По	По	По	По	По	По	По	По	По	По	По
Dust Filter	Dust Filter		По	По	Yes	Yes	Yes	По	По	По	По	По
Ice Chamber		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Vertical Louvres Mov	vement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Horizontal Louvres Me	ovement	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
	L	61.2	65.0	65.0	61.2	61.2	61.2	65.0	65.0	65.0	65.0	65.0
Dimensions Without Packaging (cm)	W	43.0	42.6	42.6	43.0	43.0	43.0	42.6	42.6	42.6	42.6	42.6
	Н	124.8	112.0	112.0	124.8	124.8	124.8	121.0	121.0	121.0	112.0	121.0
Dimensions With Packaging (cm)	LxWxH	65.5x48x131	69x47x121	69x47x121	65.5x48x131	65.5x48x131	65.5x48x131	69x47x130	69x47x130	69x47x130	69x47x121	69x47x130
Net Weight (kg)		19.7	17.0	16.5	19.7	19.7	19.7	17.0	17.0	17.0	16.5	17.0
Gross Weight (kg)		24.0	20.5	19.5	24.0	24.0	24.0	20.5	20.5	20.5	19.5	20.5
Stacking		2	2	2	2	2	2	2	2	2	2	2
Product Warranty#		12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
Cooling Area	Cooling Area		380 sq ft	350 sq ft	400 sq ft	400 sq ft	400 sq ft	380 sq ft	380 sq ft	380 sq ft	350 sq ft	380 sq ft

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. #Warranty is applicable in India only.























Model Number		CD9201H	CD7101H	CD8801H/CD8802HR	CD5201H/CD5202HR	CD8502H	CD7004HR	CD7001H	CD5101B	CD5102H	AT802PM
Model Name	2	AEROSTORM 92	AEROSTORM 71	TORNADO 88	TORNADO 52	SNOWBREEZE MAGNUS NEO 85	OCEAN AIR TRENDY 70	OCEAN AIR 70	AEROCHILL 51	AEROCHILLH 51	AirTek AT802PM
Mode of Operation		Manual	Manual	Manual/Remote	Manual/Remote	Manual	Remote	Manual	Manual	Manual	Manual
Cooling Medium		DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	Woodwool	DenseNest® Honeycomb	Honeycomb
Water Tank Capacity (Litres upto brim)		92Ltrs	71Ltrs	88Ltrs	52Ltrs	85Ltrs	70Ltrs	70Ltrs	51Ltrs	51Ltrs	73Ltrs
Power Consumption (Wattage)		180W	180W	190W	190W	200W	190W	190W	190W	190W	165W
Air Delivery (Cu.r	n./hr)	4000	4000	3650	3650	3500	3600	3600	3200	3200	2610
Air Throw Distance	(Metres)	17mtrs	17mtrs	18.3mtrs	18.3mtrs	16.2mtrs	18.3mtrs	18.3mtrs	9mtrs	9mtrs	12mtrs
Auto Fill		Yes	Yes	Yes	Yes	Yes	Yes	Yes	По	По	Yes
Water Level Indi	cator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control - 3	/RPM	H,M,L 1330,1250, 1180	H,M,L 1330, 1250, 1180	H,M,L 1330, 1250, 1170	H,M,L 1330, 1250, 1170	H,M,L 1350, 1260, 1150	H,M,L 1350, 1260, 1150	H,M,L 1350, 1260, 1150	H,M,L 1260, 1190, 1120	H,M,L 1260, 1190, 1120	H,M,L
Blower/Fan Ty	jpe –	Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan
Castor/Trolley		5 Castor Wheels	5 Castor Wheels	5 Castor Wheels	4 Castor Wheels	5 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels
Prevents Mosquito Breeding		По	По	По	По	По	По	По	По	По	По
Anti-bacterial f	ilter	По	По	По	По	По	По	По	По	По	Yes
Dust Filter		По	По	По	По	По	По	По	По	По	Yes
Ice Chambe	r	По	По	По	По	Yes	По	По	По	По	Yes
Vertical Louvres Ma	vement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Horizontal Louvres M	lovement	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
	L	66	66	62.0	62.0	62.0	65.0	65.0	64.5	64.5	71.5
Dimensions Without Packaging (cm)	W	50	50	40.3	40.3	49.0	38.0	38.0	50.5	50.5	46.0
	Н	123	113	133.0	112.0	111.0	124.5	124.5	102.0	102.0	115.0
Dimensions With Packaging (cm)	LxWxH	73x53x132	73x53x122	69x47x142	69x47x121	68x56.5x119	68x40x30	68x40x130	67x53.5x108	67x53.5x108	74.6x51.2x119.7
Net Weight (kg)		18	17	18.5	16.5	16.0	18.0	18.0	15.0	15.0	19.6
Gross Weight (kg)		22.5	21	21.0	19.5	20.3	21.5	21.5	19.0	19.0	23.4
Stacking		2	2	2	2	2	2	2	2	2	2
Product Warrar	nty#	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
Cooling Area		450 Sq ft	400 Sq ft	300 sq ft	300 sq ft	400 sq ft	400 sq ft	400 sq ft	300 sq ft	300 sq ft	300 sq ft

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. #Warranty is applicable in India only.

















Model Numbe	r	AT602PM/PE	CD8501H	CD6601H	CD5501H	CD5002B	CP3002H	CP3001H	CP3401H	CP2002H/CP2003H	CP1601H
Model Name		AirTek AT602PM/PE	SNOWBREEZE MAGNUS 85	SNOWBREEZE SLIM 66	SNOWBREEZE SLIM 55	SNOWBREEZE SUPER 50	SUPERCOOL TRENDY 30	SUPERCOOL 30	AEROCOOL DX 34	SMARTCOOL DX 20	SMARTCOOL DX 16
Mode of Operation		Manual/Remote	Manual	Manual	Manual	Manual	Remote	Manual	Manual	Manual/Remote	Manual
Cooling Medium		Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	Wood Wool	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb
Water Tank Capacity (Litres upto brim)		52Ltrs	85Ltrs	66Ltrs	55Ltrs	50Ltrs	30Ltrs	30Ltrs	34Ltrs	20Ltrs	16Ltrs
Power Consumption (Wattage)	165W	200W	220W	220W	200W	140W	140W	135W	140W	140W
Air Delivery (Cu.m	n./hr)	2610	3500	3000	3000	3500	1300	1300	1400	1300	1300
Air Throw Distance (Metres)	12mtrs	16.2mtrs	16mtrs	16mtrs	16.2mtrs	7.6mtrs	7.6mtrs	9.1mtrs	7.6mtrs	7.6mtrs
Auto Fill		Yes	Yes	Yes	Yes	Yes	По	По	По	По	По
Water Level Indic	ator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control - 3/	Speed Control - 3/RPM		H,M,L 1350, 1260, 1150	H,M,L 1350, 1260, 1150	H,M,L 1350, 1260, 1150	H,M,L 1350, 1260, 1150	H,M,L 1340, 1270, 1200	H,M,L 1340, 1270, 1200	H,M,L 1400, 1300, 1200	H,M,L 1340, 1270, 1200	H,M,L 1340, 1270, 1200
Blower/Fan Tyj	pe	Fan	Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan/16 inch	Blower	Blower	Blower	Blower	Blower
Castor/Trolley	Castor/Trolley		5 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	2 Trolley Wheels & 2 Castor Wheels	2 Trolley Wheels & 2 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels
Prevents Mosquito B	Prevents Mosquito Breeding		По	По	По	По	Yes	По	По	По	По
Anti-bacterial fil	Anti-bacterial filter		По	По	По	По	Yes	По	По	По	По
Dust Filter		Yes	По	По	По	По	Yes	Yes	По	Yes	Yes
Ice Chamber		Yes	Yes	Yes	Yes	Yes	По	По	Yes	Yes	Yes
Vertical Louvres Mov	vement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Horizontal Louvres Me	ovement	Manual	Manual	Manual	Manual	Manual	Motorised	Motorised	Manual	Manual	Manual
	L	71.5	62.0	60.5	60.5	62.0	34.5	34.5	46.5	46.0	46.0
Dimensions Without Packaging (cm)	W	45.0	49.0	39.5	38.5	50.0	41.8	41.8	33.0	34.0	34.0
3 3 ()	Н	102.0	111.0	118.0	112.0	100.5	93.0	93.0	84.0	70.0	66.0
Dimensions With Packaging (cm)	LxWxH	74.6x51.2x106.3	68x56.5x119	64x43.5x124	64x43.5x117	68x56.5x 05.5	39.6x46.6x99.5	39.6x46.6x99.5	51x38.5x89	51x38.5x74.5	51x38.5x70.2
Net Weight (kg)		17.8	16.0	14.2	13.4	15.5	10.5	10.3	9.0	8.6	8.0
Gross Weight (kg)		20.9	20.3	18.3	17.5	19.1	12.7	12.2	11.0	10.1	9.3
Stacking		3	2	2	2	2	3	3	4	4	4
Product Warranty#		12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
Cooling Area	Cooling Area		400 sq ft	300 Sq ft	300 sq ft	300 sq ft	180 sqft	180 sqft	200 sq ft	150 sqft	150 sqft

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. #Warranty is applicable in India only.

PERSONAL ------ SUPERCOOLER -------



ATKTS60SP

AirTek ATKTS60SP

Remote

Honeycomb

15Ltrs

126W

CP0801H

MINI MAGIC 08

Manual

DenseNest®

Honeycomb

8Ltrs

90W

Model Number

Model Name

Mode of Operation

Cooling Medium

Water Tank Capacity (Litres upto brim)

Power Consumption (Wattage)



AT800AE

AirTek AT800AE

Remote

Honeycomb

7Ltrs

2.7W

on sleep mode



OD1055H

TOOFAN SLIM 105

Manual

DenseNest®

Honeycomb

105Ltrs

350W



OD8505H

TOOFAN SLIM 85

Manual

DenseNest

Honeycomb

85Ltrs

350W



0D9005H

THUNDER 90

Manual

DenseNest®

Honeycomb

90Ltrs

350W



OD9004H

THUNDER 90

Manual

DenseNest®

Honeycomb

90Ltrs

200W



0D7005H

THUNDER 70

Manual


DenseNest®

Honeycomb

70Ltrs

350W





500 342 7000 7000 5000 7000 Air Delivery (Cv.m./hr) 350 7000 Air Throw Distance (Metres) 5mtrs 5mtrs 17mtrs 17mtrs 17mtrs 13.7mtrs 17mtrs 4mtrs Auto Fill Πo По Πo Yes Yes Yes Water Level Indicator Yes Yes Yes Πo По Πo По Πo H,M,L Speed Control - 3/RPM 1900, 1810, 1720 Sleep 1350, 1280, 1210 1350, 1280, 1210 1350, 1280, 1210 1350, 1280, 1210 1350, 1280, 1210 1350, 1280, 1210 Aerofan/Hi-speed Aerofan/Hi-speed Aerofan/Hi-speed Aerofan/Hi-speed Aerofan/16 inch Aerofan/16 inch Blower/Fan Type Blower Blower Blower 18 inch 18 inch 18 inch 18inch 2 Trolley Wheels & 2 Costor Wheels H,M,L Inbuilt Inbuilt Optional Castor/Trolley Optional Optional **Prevents Mosquito Breeding** По Πo Πo По По По Πo Πo Anti-bacterial filter По Πo Πo Πo Yes Yes Πo Πo Dust Filter Πo Yes Yes Πo Πo Πo Πo Ice Chamber По Πo По Πo Yes Yes По Πo Vertical Louvres Movement Motorised Motorised Motorised Motorised Motorsied Motorised Motorised Motorised Motorised **Horizontal Louvres Movement** Manual Manual Manual Manual Manual Manual Manual Manual Manual 27.7 38.0 36.0 67 67 67.8 67.8 67.8 67.8 **Dimensions Without** 26.2 36.5 25.0 49 49 61.4 61.4 61.4 61.4 Packaging (cm) 41.5 68.0 73.3 127.2 120.2 102.3 102.3 93.6 93.6 Dimensions With LxWxH 31.5x30x45 42x40x72.5 34.5x28x75 69x51x131 69x51x124 69x63x107 69x63x106 69x63x98 69x63x97 Packaging (cm) Net Weight (kg) 4.1 8.2 6.0 32.5 31.5 31.85 29.35 30.6 28.1 Gross Weight (kg) 5.1 10.0 6.4 37.2 36 34.1 34.1 35.6 33.1 3.0 4.0 2 2 2 Stacking 6 2 2 Product Warranty# 12 Months Cooling Area 50 sqft 50 sqft 50 sqft 600 sq ft 600 sq ft 500 sq ft 500 sq ft 500 sq ft 500 sq ft

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room.

As product upgradation is a continuous process, design and specifications are subject to change without notice. #Warranty is applicable in India only.



















Model Number		CW5501B, CW5502B	CW5004B	CW5002B	CW5003B	CT5503HI/ CT5502HR/CT5501H	CT4003HI/ CT4002HR/CT4001H	CT2605HI/ CT2604HR/CT2603H	AT606AE	AT25AE
Model Name		MAGICOOL PLUS 55	MAGICOOL PRO 50	MAGICOOL DX 50	MAGICOOL NEO 50	ULTIMO TOWER 55	ULTIMO TOWER 40	ULTIMO TOWER 26	AirTek AT606AE	AirTek AT25AE
Mode of Operat	ion	Manual	Manual	Manual	Manual	IoT/Remote	IoT/Remote	loT/Remote/Manual	Remote	Remote
Cooling Medium		Woodwool	Wood Wool	Wood Wool	Wood Wool	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	Honeycomb	Honeycomb
Water Tank Capacity (Litres upto brim)		55Ltrs	50Ltrs	50Ltrs	50Ltrs	55Ltrs	40Ltrs	26Ltrs	60Ltrs	25Ltrs
Power Consumption (Wattage)		220W	220W	220W	200W	160W	160W	160W	235W	235W
Air Delivery (Cu.m	n./hr)	2000	2000	2000	2000	1500	1500	1500	850	850
Air Throw Distance ((Metres)	10.7mtrs	10.7mtrs	10.7mtrs	10.7mtrs	9.14mtrs	9.14mtrs	9.14mtrs	7mtrs	7mtrs
Auto Fill		По	Yes	Yes	Yes	Yes	Yes	Yes	По	По
Water Level India	ator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control - 3/	Speed Control - 3/RPM		H,M,L 1250, 1190, 1130	H,M,L 1250, 1190, 1130	H,M,L 1250, 1160, 1080	H,M,L 1340, 1250, 1160	H,M,L 1340, 1250, 1160	H,M,L 1340, 1250, 1160	H,M,L Sleep	H,M,L Sleep
Blower/Fan Ty	Blower/Fan Type		Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower
Castor/Trolley		Trolley Optional	Trolley Optional	Trolley Optional	Trolley Optional	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels
Prevents Mosquito Breeding		По	По	По	По	Yes	Yes	Yes	По	По
Anti-bacterial filter		По	По	По	По	По	По	По	Yes	Yes
Dust Filter		Yes	По	По	По	Yes	Yes	Yes	Yes	Yes
Ice Chamber		По	По	По	По	Yes	Yes	Yes	Yes	Yes
Vertical Louvres Mo	vement	Motorized	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
Horizontal Louvres M	ovement	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
	L	651	66.0	66.0	68.0	39	39	39	48	48
Dimensions Without Packaging (cm)	W	549	53.5	53.5	60.0	34.6	34.6	34.6	37	37
	Н	583	55.5	55.5	56.0	138.8	124.8	105.3	115	84.7
Dimensions With Packaging (cm)	LxWxH	69.5x59.5x67.0	72x60x63	72x60x63	75x63x57.5	51.7x41.5x134.3	51.7x41.5x120.3	51.7x41.5x104.3	54.6x43.5x117.5	53x42.3x89.7
Net Weight (kg)		12	13.0	13.0	12.6	12	11	10.5	13.5	11.5
Gross Weight (kg)		16	16.0	16.0	16	15.5	15	13	16.2	14.3
Stacking		3	3	3	3	2	2	2	2	3
Product Warranty#		12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
Cooling Area		230 sq ft	230 sq ft	230 sq ft	230 sq ft	200 sqft	200 sqft	180 sqft	100 sqft	100 sqft

All the technical parameters are as per Orient testing standards. Specifications of DenseNest® Honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and an all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without notice. #Warranty is applicable in India only.

BRANCH OFFICES

NORTH REGION

Delhi: 62, Okhla Industrial Estate Phase - III, New Delhi - 110020 Chandigarh: 840, First Floor, NAC Manimajara, UT Chandigarh - 160101

Rajasthan: C- 179, Road No. 9, VKIA, Jaipur - 302014

Uttar Pradesh: 607, 6th floor, Ratan Square Marg, Lucknow - 226001

Noida: C-130, Sector 63, Noida - 201301

Head Office: 240, Okhla Industrial Estate Phase - III, New Delhi - 110020

EAST REGION

Assam: Saraf Building, 1st Floor, A.T. Road, Guwahati - 781001

Bihar: 4th Floor, Sai Tower, Beside Hotel Utsav, New Dak Bunglow Road, Patna - 800001

Jharkhand: Modi Heights, Phase-1, 4th Floor, Office No. 401, Ratu Road, Near Durga Mandir, Ranchi - 834001

Odisha: Plot-263, 1st Floor, Annapurna Complex, Bapujinagar, Cuttack, Bhubaneswar - 751009

West Bengal: 6, Ghore Bibi Lane, Behind Swabhumi, Kolkata - 700054

WEST REGION

Chhattisgarh: Harshit Corporate, 5th Floor, Office No. 512, Beside Amanaka Flyover, Amanaka, Raipur - 492001 Gujarat: 201, Arth Complex, B/h.L.G. Showroom, Mithakhali Six Road, Navrangpura, Ahmedabad - 380009

Madhya Pradesh: Unit No. 212 & 214, Second Floor, Dhan Trident, Block No. 3, Scheme No. 54, PU – 4, Vijay Nagar, Indore - 452010 Maharashtra: Mumbai: 604, 6th Floor, Dev Corpora, Cadbury Junction, Eastern Express Highway, Thane (West), Mumbai - 400601. Pune: Karan Vitoria, No. 201-A & 201 B-1, 3rd Floor, Goodluck Chowk, Behind Café Goodluck, Deccan Gumkhana, Pune – 411004. Nagpur: 402, 4th floor, Shriyash Heights, Plot No. 95, Lendra West Precinct, Ramdas Peth, Nagpur - 440010

SOUTH REGION

Karnataka: 309, 310 – 3rd Floor, Mota chamber, Miller Road, Bangalore - 560052 Kerala: Kollamkuzhi Business Square, 5th Floor, NH bypass, Vytila, Cochin - 682019 **Telangana:** 6-3-1090/C 2nd Floor Raj Bhawan Road Somajiguda, Hyderabad - 500082 Tamil Nadu: Heavitree, No. 47/13, Spur Tank Road, Chetpet, Egmore, Chennai - 600031





switch to smart

Fans • Home Appliances • Lighting • Switchgear

Orient Electric Limited

(A CK Birla Group company) 240, Okhla Industrial Estate, Phase-III, New Delhi-110020

Orient Helpline No.: 1800 103 7574 (Toll-Free) **Email**: customer.connect@orientelectric.com

Website: www.orientelectric.com

Follow us on: 🕴 🛗 in 📝 🧿











1800 103 7574

Authorized Service Center

*Orient Electric Limited (OEL) is the registered proprietor of the designs in respect of the products featured in this catalogue. OEL is the owner of all intellectual property in respect of the products featured in this catalogue. Any unauthorized manufacturing/selling/ distribution/marketing of any of the products featured in this catalogue or any act of manufacturing/selling/distributing/marketing any products which are identical to/similar to or (fraudulent imitations) of the products featured in this catalogue would amount to infringement of OEL's Intellectual Property Rights for which OEL will initiate appropriate legal action.