

PASOLITE

www.pasolite.in **LED**



15th May 2022

PASSION WITH LIGHT

About Us

Pasolite is one of the oldest **Lighting Solution Provider** Operating from Bengaluru, to build a brand on the back of its in house production. However, what's different is that we use the international production facilities as the back-end of our operations, and focus on adding value through design and packaging.

Pasolite is the brand name under which **Pasolite Electricals Pvt. Ltd.**, Markets its products. Unfettered by manufacturing, the company has build of formidable range of LED products, for practically all types of applications.

From Retail and Commercial in indoor to Facade and Landscape lighting in Outdoor, we offer a vast array of adoptive luminaries designed to reveal the soul of any architecture space.

A Disciplined Process

The company's modus operandi reflects the growing instance of outsourcing across all lighting categories, irrespective of the country from where products are originating.

The differentiator, therefore, is the manner in which a company chooses to builds its brand, the commitment that it makes with respect to quality, and the confidence levels that it is able to create amidst the trade.

Our Vision

At Present, we cater to the lighting requirement for various projects throughout INDIA, with sales and distribution via independent lighting channel partners throughout country. our aim is to build up relation with renowned consultants and Architects. Our range allows us offer our clients extensive and quality products.

At Pasolite, we help architects and designers capture creative inspiration. our design innovation opens up limitless possibilities.....

The forms shares, styles, finishes and customs solutions that bring ideas to life. High qualities, great flexibility, extremely prompt deliveries- it is an important recognition of our quality process, which allows our customers to be absolutely confident in the faithful fulfillment of our engagements and in the continuity of our business relation.

Our Mission

To be No 1 choice for all lighting need by not only providing light fixtures, but also providing the right solution to any lighting concept. To be able to transform architects and designers lighting dreams into reality by providing quality, state of the art and innovative designs of lighting. we strive to attain a position of long-term, sustainable pre-eminence in the lighting field "lighting up" both our customers and ourselves.

As we are constantly innovating and expanding our product range, this catalogue can never be completely upto date. if you require specific information about new products, changes in our product programme, please contact our channel partners.

INDEX

INDOOR 01 - 20

Cabinet Lights 02

Cabinet / Recess Panel Lights 03

Surface 2 x 2 Panel Lights 04

Batten Lights 05

Strip Lights 06

Track Lights 07

Zoom Lights 08

Recess Downlights 09

Recess Downlights 10

Recess Downlights 11

Surface Lights 14

Pendent Lights 15

Linear Lights 16

Linear Profiles 17

Power Supply / Sensors 20

OUTDOOR 22 - 41

Ceiling Lights 22

Planter Lights 23

Wall Lights 24

Bollard Lights 28

Fascade Linear 32

Foot Lights 33

Inground UpLights 34

Under Water Lights 35

Flood Lights 36

Street Lights 37

Gate Lights 38

Bulkhead Lights 41

POLES 43 - 59

ECO 60 - 65



Indoor Lights



Recess Downlight

1w	LDL 183	Square	L-W 30 / H 18 / C ϕ 25	White Mat B. Steel	3000K / 6000K
	LDL 184	Round	D ϕ 34 / H 18 / C ϕ 25	White Mat B. Steel	3000K / 6000K
Red / Blue / Green					



Recess Downlight

3w	LDL 182	Round	D ϕ 40 / H 25 / C ϕ 35	White	3000K / 6000K
	LDL 201	Square	L-W 40 / H 25 / C ϕ 35		
Red / Green / Blue					



Eye Ball Downlight

1w	DL 3225	Round	D ϕ 52 / H 33 / C ϕ 40	Mat Brushsteel	3000K / 6000K
	DL 3222	Square	L-W 54 / H 33 / C ϕ 43		



Eon Downlight

3w	LDL 140	Square	L-W 40 / H 25 / C ϕ 35	White	3000K / 6000K
5w	LDL 180	Square	L-W 70 / H 28 / C ϕ 60	White	3000K / 6000K



Arial Downlight

3w	LDL 211	Round	D ϕ 95 / H 55 / C ϕ 70	White	3000K / 6000K
7w	LDL 212	Round	D ϕ 95 / H 55 / C ϕ 70	White	3000K / 6000K
Suitable for 3 & 4 Inches junction Box					Red / Green / Blue (3w)
					Red / Green / Blue (7w)



Zen Downlight

3w	LDL 112	Round	D ϕ 63 / H 50 / C ϕ 50	White	3000K / 6000K
	LDL 113	Square	L-W 63 / H 50 / C ϕ 50		
5w	LDL 114	Round	D ϕ 85 / H 53 / C ϕ 65	White	3000K / 6000K
	LDL 115	Square	L-W 83 / H 53 / C ϕ 70		



Slim Surface Downlight

3w	LDL 187	D ϕ 60 / H 12	White / Black	3000K / 6000K
----	---------	--------------------	---------------	---------------



COB Slim Surface Ceiling light

3w	LDL 375	D ϕ 60 / H 17	White / Black	3000K / 6000K
----	---------	--------------------	---------------	---------------



Slim Surface Downlight

5w	LDL 186	Square	L 60 / W 60 / H 25	White	3000K / 6000K
----	---------	--------	--------------------	-------	---------------



Euro Ceiling Downlight

3w	LDL 214	Square	L 50 / W 50 / H 18	White	3000K / 6000K
6w	LDL 215	Square	L 80 / W 80 / H 20	White	3000K / 6000K
	LDL 217	Round	D ϕ 80 / H 20	Chrome	3000K / 6000K



Finish : White
CCT : 3000K / 4500K / 6000K

Alto Extra Slim Panel

4w	LDL 044	Square	L-W 90 / H 25 / C ϕ 75
	LDL 045	Round	D ϕ 85 / H 25 / C ϕ 75
7w	LDL 046	Square	L-W 120 / H 25 / C ϕ 105
	LDL 047	Round	D ϕ 120 / H 25 / C ϕ 105
12w	LDL 162	Square	L-W 172 / H 25 / C ϕ 160
	LDL 163	Round	D ϕ 172 / H 25 / C ϕ 160
15w	LDL 164	Square	L-W 195 / H 25 / C ϕ 180
	LDL 165	Round	D ϕ 195 / H 25 / C ϕ 180
18w	LDL 166	Square	L-W 225 / H 25 / C ϕ 210
	LDL 167	Round	D ϕ 225 / H 25 / C ϕ 210
24w	LDL 168	Square	L-W 300 / H 25 / C ϕ 280
	LDL 169	Round	D ϕ 300 / H 25 / C ϕ 280
30w	LDL 170	Square	L-W 300 / H 25 / C ϕ 280
	LDL 171	Round	D ϕ 300 / H 25 / C ϕ 280



Back-Lit

Finish : White
CCT : 3000K / 4500K / 6000K

Xcent Panel

6w	LDL 172	Square	L-W 90 / H 30 / C ϕ 75
	LDL 173	Round	D ϕ 90 / H 30 / C ϕ 75
12w	LDL 174	Square	L-W 120 / H 30 / C ϕ 105
	LDL 175	Round	D ϕ 120 / H 30 / C ϕ 108
18w	LDL 176	Square	L-W 170 / H 30 / C ϕ 150
	LDL 177	Round	D ϕ 172 / H 30 / C ϕ 152
24w	LDL 178	Square	L-W 225 / H 30 / C ϕ 205
	LDL 179	Round	D ϕ 225 / H 30 / C ϕ 205



Back-Lit

Finish : White
CCT : 3000K / 4500K / 6000K

Xcent Plus Panel

12w	LDL 312	Square	L-W 110 / H 21.5 / C ϕ 100
	LDL 313	Round	D ϕ 110 / H 21.5 / C ϕ 110
18w	LDL 314	Square	L-W 130 / H 21.5 / C ϕ 120
	LDL 315	Round	D ϕ 130 / H 21.5 / C ϕ 120
24w	LDL 316	Square	L-W 160 / H 21.5 / C ϕ 145
	LDL 317	Round	D ϕ 160 / H 21.5 / C ϕ 145



Slim Surface Panel Light

8w	LDL 301	Square	L - W 120 / H 25	White	3000K/ 4500K/ 6000K
	LDL 302	Round	D ϕ 120 / H 25		
16w	LDL 303	Square	L - W 170 / H 25	White	3000K/ 4500K/ 6000K
	LDL 304	Round	D ϕ 170 / H 25		
22w	LDL 305	Square	L - W 225 / H 25	White	3000K/ 4500K/ 6000K
	LDL 306	Round	D ϕ 225 / H 25		
30w	LDL 307	Square	L - W 300 / H 35	White	3000K/ 4500K/ 6000K
	LDL 308	Round	D ϕ 300 / H 35		



Back-Lit Surface Panel Light (PC Body)

10w	LDL 381	Square	L - W 125 / H 31	White	3000K/ 4500K/ 6000K
	LDL 382	Round	D ϕ 125 / H 31		
15w	LDL 383	Square	L - W 149 / H 31	White	3000K/ 4500K/ 6000K
	LDL 384	Round	D ϕ 149 / H 31		
20w	LDL 385	Square	L - W 200 / H 31	White	3000K/ 4500K/ 6000K
	LDL 386	Round	D ϕ 200 / H 31		




2 x 2 Backlit Panel Light / Frames

36w	DL 3955	L - W 595 / H 30	White	3000K/ 4500K/ 6000K
Frame - 1 (Concealed Frame)		₹ 1000/-	Frame - 2 (Surface Frame)	
Suspension Kit		₹ 500/-	2 x 2 Toggle (set of 4)	



Smart Twin Sensor

35w	RM 1423	L 600 / W 600 / H 75	Alluminium	6000K
-----	---------	----------------------	------------	-------



Guide Plate Light

40w	Mosaic PISP 01	L 595 / W 595 / H 09
	Cube PISP 02	

* Mitsubishi LGP

EPISTAR

LED

Finish : Mat Silver

CCT : 6000K



Finish : Matt Silver
CCT : RGB

Prism RGB Panel Light

36w	PISP 04	L 595 / W 595 / H 09
Remote Control	PIRM 04	

EPISTAR LED

**RGB Color Changeable
Dimmable Upto 10%**



LED Focus Light

5w	LS 1228	L 70 / W 108 / H 75	White	3000K / 6000K
			Brushsteel	
9w	LS 1227	L 70 / W 115 / H 113	White	3000K / 6000K
			Brushsteel	



Indus Square Batten

4w (1 Ft)	LE 3975	L 267 / W 22 / H 36		
10w (2 Ft)	LE 3976	L 535 / W 22 / H 36		
20w (4 Ft)	LE 3977	L 1135 / W 22 / H 36	White	3000K/ 4500K/ 6000K
24w (4 Ft)	LE 3984	L 1139 / W 22 / H 36		
40w (4 Ft)	LE 3988	L 1180 / W 33 / H 40	White (Aluminium Body)	6000K



Colour Changing Indus Batten (3 in 1 With Switch)

20w	LE 3987	L 1136 / W 22 / H 36	White	3000K/ 4500K/ 6000K
-----	---------	----------------------	-------	---------------------

iGlow Batten



15w	LE 4029	L 600 / W 38 / H 35	White	3000K/ 4500K/ 6000K
36w	LE 4031	L 1205 / W 38 / H 35	White	3000K/ 4500K/ 6000K



350° Beam Angle

Circulo Batten

20w (2 Ft)	LE 4028	D ϕ 60 / L 600 / H 98		
40w (4 Ft)	LE 4033	D ϕ 60 / L 1200 / H 98		

CCT : 3000K / 4500K / 6000K



T5 LED FIXTURE (Linkable)



15w | LE 3946 | L 1155 / W 25 / H 38

6000K



0.5w LED B-22 Bulb | LE 3969 | ● Red ● White ● Green

1 x 7w LED Spot Light | LDL 109 - Round | 3000K

4w GU - 10 Spot Light | LE 3964 | 3000K / 6000K

4w MR - 16 Spot Light | LE 3966 | 3000K / 6000K



Omega Track Light

10w	PITS 024	L 120 / H 115 / D ϕ 50		
20w	PITS 025	L 140 / H 130 / D ϕ 60	White / Black	3000K / 4500K / 6000K
30w	PITS 026	L 152 / H 155 / D ϕ 80		



Rotate to Adjust
Beam Angle from
15° to 60°

Zoomable LED Track Light

12w	PITS 027	L 148 / W 123 / H 265	White / Black	3000K / 4500K / 6000K
-----	----------	-----------------------	---------------	-----------------------



CREE
LEDs

Triangular Track Light

10w	PITS 028	L 135 / H 130 / D ϕ 73		
20w	PITS 029	L 140 / H 150 / D ϕ 90	White / Black	3000K / 4500K / 6000K
30w	PITS 030	L 150 / H 150 / D ϕ 90		



Omega Plus Track Light

10w	PITS 031	L 120 / H 140 / D ϕ 50		
20w	PITS 032	L 150 / H 150 / D ϕ 65	White / Black	3000K / 4500K / 6000K
30w	PITS 033	L 170 / H 150 / D ϕ 75		

Track / Accessories



1 Meter	TL 3301	White / Black
2Meter	TL 3312	White / Black



Jointers also available in Black

Track Joints

1way	TL 001	₹ 180/-	3way	TL 003
2way	TL 002	₹ 240/-	4way	TL 004



36° Beam Angle

Recessed Scoop Zoom Series

12w	PIDZ 03	D ϕ 90 / H 60 / C ϕ 75		
20w	PIDZ 04	D ϕ 114 / H 100 / C ϕ 105	White	3000K/ 4500K/ 6000K
30w	PIDZ 05	D ϕ 138 / H 125 / C ϕ 125		
40w	PIDZ 06	D ϕ 165 / H 150 / C ϕ 155		



24° Beam Angle

Apex Focus Recessed Downlight

30w	PIDF 01	D ϕ 139 / H 79 / C ϕ 119	White	3000K / 6000K
-----	---------	------------------------------------	-------	---------------



Dual Focus Recessed Downlight

38w	PIDF 02	D ϕ 200 / H 110 / C ϕ 180	White	3000K
-----	---------	-------------------------------------	-------	-------



Sleek Slim Downlight

3w	LDL 251	D ϕ 72 / H 16 / C ϕ 62		
6w	LDL 252	D ϕ 82 / H 20 / C ϕ 72	White	3000K / 6000K
9w	LDL 253	D ϕ 87 / H 20 / C ϕ 77		



Mushroom Downlight

3w	PIDO 02	D ϕ 90 / H 25 / C ϕ 78	Mat White	3000K
----	---------	----------------------------------	-----------	-------




Deep Bowl Reflector Downlight

20w	PIDO 07	D ϕ 185 / H 115 / C ϕ 165		
30w	PIDO 08	D ϕ 185 / H 115 / C ϕ 165	White	3000K
40w	PIDO 09	D ϕ 215 / H 130 / C ϕ 200		



Bravo Downlight


5w	LDL 361	D ϕ 60 / H 70 / C ϕ 56		
10w	LDL 362	D ϕ 73 / H 87 / C ϕ 69	Black & Gold White & Silver	3000K / 4500K / 6000K
15w	LDL 363	D ϕ 80 / H 110 / C ϕ 76		



EPISTAR LED



*at extra cost




*Also available in above colour ring options.



Laura Downlight

12w	LDL 366	D ϕ 85 / H 62 / C ϕ 75		
18w	LDL 367	D ϕ 100 / H 70 / C ϕ 86	White	3000K / 4500K / 6000K
24w	LDL 368	D ϕ 130 / H 86 / C ϕ 120		
36w	LDL 369	D ϕ 158 / H 92 / C ϕ 142		



*at extra cost



*Add MRP - 12w - ₹ 2000 / 15w - ₹ 2200 / 18w - ₹ 2400



MRP - ₹ 800/-



Round Fixed Ring

Model : PIDR 02
Dimension : D ϕ 90 / H 25 / C ϕ 78
Finish : White



Square Fixed Ring

Model : PIDR 03
Dimension : D ϕ 110 / H 35 / C ϕ 90
Finish : White



Round Mirror Mount Ring

Model : PIDR 04
Dimension : D ϕ 155 / H 47 / C ϕ 140
Finish : Outer White - Inner Silver



Deep Round Spot

Model : PIDR 06
Dimension : D ϕ 83 / H 50 / C ϕ 73
Finish : Outer White - Inner Rose Gold



Round Spot - Square Shape

Model : PIDR 07
Dimension : L-W 85 / H 36 / C ϕ 73 x 73
Finish : Outer White - Inner Rose Gold



Deep Wall Washer

Model : PIDR 08
Dimension : D ϕ 83 / H 50 / C ϕ 73
Finish : Outer White - Inner Rose Gold



Round Spot

Model : PIDR 09
Dimension : D ϕ 83 / H 30 / C ϕ 68
Finish : Outer White - Inner Chrome



Round Spot

Model : PIDR 10
Dimension : D ϕ 80 / H 30 / C ϕ 68
Finish : Outer Black - Inner Rose Gold



Oval Spot

Model : PIDR 11
Dimension : D ϕ 80 / H 40 / C ϕ 68
Finish : Outer White - Inner Gold



Round Spot

Model : PIDR 12
Dimension : D ϕ 80 / H 40 / C ϕ 68
Finish : Outer White - Inner Rose Gold



Semi-Round Spot

Model : PIDR 13
Dimension : D ϕ 80 / H 40 / C ϕ 68
Finish : Outer White - Inner Rose Gold



Semi-Round Spot

Model : PIDR 14
Dimension : D ϕ 80 / H 40 / C ϕ 68
Finish : Outer Black - Inner Rose Gold




LED Modules

7w | LDL 325 | D ϕ 50 / H 43 |

12w | LDL 326 | D ϕ 50 / H 80 |

15w | LDL 327 | D ϕ 50 / H 80 |



24°
Beam Angle
7w / 12w

36°
Beam Angle
15w

EPISTAR LED



*at extra cost



LED Wonder' Modules

12w | PIDO 11 | D ϕ 50 / H 73 |

16w | PIDO 10 | D ϕ 60 / H 80 |



12w
Medium

16w
Large

36°
Beam Angle

CCT : 3000K / 4500K / 6000K




*Add MRP - 12w - ₹ 2000 / 15w - ₹ 2200 / 18w - ₹ 2400

MRP - ₹ 800/-



COB Lens / Diffuser

7w CCT	PIDO 14	D ϕ 85 / H 60 / C ϕ 75	White	3000K - 4500K - 6000K
Remote	PIRM 01	4 Channel		



RGB PANEL Light

12w	PIDO 15	D ϕ 235/ H 25 / C ϕ 220	Mat White	RGB
-----	---------	-----------------------------------	-----------	-----

(Without Driver)

Power Supply

24v 60w	PIPS 01	Driving 4 Pieces
24v 96w	PIPS 02	Driving 8 Pieces
RGB Jog Dial Wall Mounted Controller	PIRM 02	Driving Max 16 Pieces)



Basele' Tiltable COB Downlight

10w	PIDO 16	D ϕ 115/ H 80/ C ϕ 100
20w	PIDO 17	D ϕ 140/ H 80/ C ϕ 120

Finish : White CCT : 3000K / 6000K

EPISTAR LED



Diffuso Downlight

20w	PIDO 20	D ϕ 150/ H 75/ C ϕ 135
-----	---------	----------------------------------

Finish : White CCT : 6000K

EPISTAR LED



Veneza Duo Mirror Downlight

20w	PIDO 25	D ϕ 135/ H 74/ C ϕ 115
-----	---------	----------------------------------

Finish : White CCT : 3000K

EPISTAR LED



Nutron Lens Downlight

10w	PIDO 28	D ϕ 110/ H 72/ C ϕ 95
-----	---------	---------------------------------

Finish : White CCT : 4500K

CREE LEDs



Marvello Deep Cone Downlight

6w	PIDO 36	D ϕ 55 / H 98 / C ϕ 50	White	3000K/ 4500K/ 6000K
12w	PIDO 37	D ϕ 75 / H 102 / C ϕ 70		
18w	PIDO 38	D ϕ 91 / H 122 / C ϕ 85		
24w	PIDO 39	D ϕ 128 / H 135 / C ϕ 122		



*at extra cost



Cosmo Rimless Downlight

10w	PIDO 40	D ϕ 70 / H 100 / C ϕ 70		
15w	PIDO 41	D ϕ 84 / H 115 / C ϕ 84	White	3000K/ 4500K/ 6000K
20w	PIDO 42	D ϕ 110 / H 120 / C ϕ 110		



*at extra cost



*Add MRP - 12w - ₹ 2000 / 15w - ₹ 2200 / 18w - ₹ 2400



MRP - ₹ 800/-



Echo Downlight

3w	PIDO 43	D ϕ 35 / H 50 / C ϕ 26	White	3000K/ 4500K/ 6000K
6w	PIDO 44	D ϕ 55 / H 60 / C ϕ 46		



CREE LEDs



Recessed Wall Washer Downlight

10w	PIDO 45	D ϕ 95 / H 110 / C ϕ 85	Black	3000K / 4500K / 6000K
-----	---------	-----------------------------------	-------	-----------------------



CREE LEDs

*at extra cost



Recessed Wall Washer Downlight

16w	PIDO 46	D ϕ 97 / H 102 / C ϕ 85	White	3000K / 4500K / 6000K
-----	---------	-----------------------------------	-------	-----------------------



CREE LEDs

ASYMMETRIC

*at extra cost



Adjustable Downlight

7w	PIDO 67	D ϕ 83 / H 110 / C ϕ 73	White	3000K / 4500K / 6000K
2x7w	PIDO 68	LxW -155 x85/ H 110 C 145x75		
16w	PIDO 47	D ϕ 100 / H 177 / C ϕ 90		



CREE LEDs

Beam Angle

*at extra cost



Recessed Downlight

7w	PIDO 35	D ϕ 75 / H 62 / C ϕ 65	White	3000K / 4500K / 6000K
12w	PIDO 48	D ϕ 85 / H 75 / C ϕ 75		



CREE LEDs

Beam Angle

*at extra cost



*Also available in colour ring options.



Single & Double Tiltable Recessed Downlight

10w	PIDO 50	L-W 88 / H 80 / C 80	White	3000K / 4500K / 6000K
2 X 10w	PIDO 51	L-W 168 x 88 / H- 80 / C 150 X 80		



CREE LEDs

Beam Angle

*at extra cost



IRIS Downlight

7w	PIOD 52	D ϕ 64 / H 60 / C ϕ 54	White/Black	3000K / 4500K / 6000K
----	---------	----------------------------------	-------------	-----------------------



Beam Angle



*Add MRP - 12w - ₹ 2000 / 15w - ₹ 2200 / 18w - ₹ 2400



MRP - ₹ 800/-



CLEO Downlight

7w	PIDO 53	D ϕ 70 / H 57 / C ϕ 65	White / Black	3000K / 4500K / 6000K
15w	PIDO 54	D ϕ 80 / H 65 / C ϕ 75		



Zorro Downlight

4w	PIDO 55	L 55 / W 55 / H 45 - C 45x45	White/Black	3000K/4500K/6000K
3x4w	PIDO 56	L 134 / W 56 / H 60 - C 120x45		
4x4w	PIDO 57	L 92 / W 92 / H 60 - C 80x80		
5x4w	PIDO 58	L 210 / W 56 / H 60 - C 195x45		
9x4w	PIDO 59	L 132 / W 132 / H 60 - C 120x120		
10x4w	PIDO 60	L 395 / W 55 / H 60 - C 385x45		



AQUA Downlight

7w	PIDO 61	D ϕ 75 / H 61.5 / C ϕ 65	White	3000K / 4500K
12w	PIDO 62	D ϕ 105 / H 74 / C ϕ 85		



IP 65



CLAY Downlight

7w	PIDO 64 - RD	D ϕ 74 / H 66 / C ϕ 55	3000K / 4500K / 6000K	White / Black
15w	PIDO 65 - RD	D ϕ 83 / H 77 / C ϕ 73	3000K / 4500K / 6000K	White / Black
7w	PIDO 63 - SQ	L - W 74 / H 68 / C 64	3000K / 4500K / 6000K	White / Black
15w	PIDO 66 - SQ	L - W 84 / H 77 / C 74	3000K / 4500K / 6000K	White / Black



Recess Deep Cone Downlight

LDL 321	D ϕ 75 / H 61.5 / C ϕ 65	White
---------	------------------------------------	-------



*Add MRP - 12w - ₹ 2000 / 15w - ₹ 2200 / 18w - ₹ 2400



MRP - ₹ 800/-



8w Tiltable Downlight	LDL 043 - Round	D ϕ 120 / H 36 / C ϕ 95	3000K / 6000K	White
2x8w Tiltable Downlight	LDL 077 - Round	H 30 / C ϕ 160 x 75	3000K / 6000K	White
2x4w Tiltable Downlight	LDL 078 - Round	H 40 / C ϕ 140 x 100	3000K / 6000K	White
2x4w Tiltable Downlight	LDL 078 - Round	L 215 / W 105	3000K / 6000K	White



Multi Reflex - Lens Downlight

Finish : White
CCT : 3000K

10w	PIMD 04	D ϕ 130 / H 80 / C ϕ 120
30w	PIMD 06	D ϕ 350 / H 80 / C ϕ 335x120



Surface Downlight

20w - Thrust	PIDS 01	D ϕ 100 / H 125	White	3000K / 6000K
25w - Trojan	PIDS 03	D ϕ 130 / H 220		



Sidelit Ceiling Light

15w	PICL 02	D ϕ 165 / H 40	White / Black	3000K / 4500K / 6000K
-----	---------	---------------------	---------------	-----------------------




Trump Surface Downlight

6w	PIDS 05	D ϕ 65 / H 98
12w	PIDS 06	D ϕ 75 / H 108
18w	PIDS 04	D ϕ 85 / H 120
24w	PIDS 11	

EPISTAR LED

Finish : White-Gold / Black-Gold
CCT : 3000K / 4500K / 6000K




Turbo Surface Downlight

6w	PIDS 07	D ϕ 75 / H 85
12w	PIDS 08	D ϕ 80 / H 100
18w	PIDS 09	D ϕ 85 / H 115
24w	PIDS 10	


Finish : White / Black
CCT : 3000K / 4500K / 6000K






Centre' Droplight

18w | PIDL 01 | D ϕ 135 / H 1500 | White | 3000K



Conical Droplight

35w | PIDL 02 | D ϕ 125 / H 290 | White | 3000K





Crabber Droplight

18w | PIDL 03 | D ϕ 135 / H 1500 | White | 3000K




Cruzzo DuaFoc Droplight

26w | PIDL 04 | L 383 / W 130 / H 160 | White | 3000K




Cassida Droplight

35w | PIDL 05 | D ϕ 295 / H 1700 | White | 6000K




120° Beam Angle



Oval End Cap for
End to End Brightness...

Starlux Hanging

Model	Watt	Feet	
PR 1505	20w	2 ft	White/Black Other
PR 1506	40w	4 ft	
PR 1508	80w	8 ft	
LED Colour			: 3000K / 4500K / 6000K
Dimension			: W - 50 / H - 70
Body Colour			: <input type="radio"/> White <input type="radio"/> Black <input type="radio"/> Silver




160° Beam Angle

Scarlet Suspended Linear

Watt	Model	Dimension	
40w	PISL 02(4ft)	L 1210 / W 64.5 / H 84	White Silver/Black
80w	PISL 04 (8ft)	L 2420 / W 64.5 / H 84	

LED Colour : 3000K / 4500K / 6000K
Body Colour : White Black Silver



ELEGANT Hanging

Watt	Model	Size	Feet
20w	PR 1512	L 600 / W 36 / H 60mm	2 ft
40w	PR 1509	L 1200 / W 36 / H 60mm	4 ft
80w	PR 1510	L 2400 / W 36 / H 60mm	8 ft
120w	PR 1511	L 3600 / W 36 / H 60mm	12 ft

White / Black

CCT : 3000K / 4000K / 6000K



4 Feet iGlow Hanging

15w	LE 4030	L 600 / W 38 / H 1000	White	3000K/ 4500K/ 6000K
36w	LE 4032	L 1205 / W 38 / H 1000	White	3000K/ 4500K/ 6000K



Dayle Hanging (70mm x 70mm)

Watt	Model	Ft
20w	PR 1422	2 ft
40w	PR 1419	4 ft
80w	PR 1452	8 ft

White/Black



120° Beam Angle


CCT : 3000K / 4000K / 6000K



Magic Hanging (50mm x 70mm)


Watt	Model	Feet
20w	PR 1502	2 ft
40w	PR 1501	4 ft
80w	PR 1503	8 ft

White/Black



Circulo Hanging

Model	Watts	Size
PISL 01	20w	2ft
PISL 05	40w	4ft
PISL 06	80w	8ft



All Round Brightness



350° Beam Angle

Finish : Acrylic
LED Colour : 3000K / 4500K / 6000K
Dimension : D - ϕ 60



Lexis Hanging (Up & Down Light)

40w	PISL 17	L 1200 / W 124 / H 16
80w	PISL 18	L 2400 / W 124 / H 16



350° Beam Angle

Body Colour : White Black
Body Colour : 3000K / 4500K / 6000K



Edion Hanging



40w	PISL 16	L 1200 / W 26 / H 75
-----	---------	----------------------



120° Beam Angle

Body Colour : White
LED Colour : 3000K / 4500K / 6000K







5mm Strip Light



PLS 002 (Slim Recess)

LED (120 LED - 12v)	4w / Feet	W 12 / H 6
Empty	2.0 Meter Length	



PLS 008 (Slim Recess)



LED (120 LED's - Spots Visible)		W 22 / H 6
LED (240 LED's - No Spots)	5.5w / Feet	
Empty	2 Meter Length	



PLS 001 (Recess)

LED	5.5w / Feet	W 23.6 / H 20.3
Empty	3 Meter Length	


Recessed/Spring clip-mounted
Uniformity of light emission



PLS 004 (Recess)

LED	11w / Feet	W 44 / H 35
Empty	3 Meter Length	



Recessed/Spring clip-mounted
Uniformity of light emission



PLS 005 (Recess)

LED	16.5w / Feet	W 64 / H 35
Empty	3 Meter Length	




Recessed/Spring clip-mounted
Uniformity of light emission



PLS 006 (Recess)

LED	11w / Feet	W 101.6 / H 48.7
Empty	2.5 Meter Length	


Recessed/Spring clip-mounted
Uniformity of light emission



PLS 035 (Trimless)


LED	11w / Feet	W 61.51 / H 14
Empty	2.0 Meter Length	

Uniformity of light emission




PLS 018 (Corner Surface)

LED	5.5w / Feet	W 16 / H 16
Empty	2 Meter Length	




PLS 009 (Slim Surface)

LED (120LED - 12v)	4w / Feet	W 7.5 / H 6
Empty	2 Meter Length	




PLS 026 (Slim Surface)

LED (120 LED's - Spots Visible)	5.5w / Feet	W 15.55 / H 6
LED (240 LED's - No Spots)		
Empty	2 Meter Length	




PLS 011 (Surface)

LED	5.5w / Feet	W 19.7 / H 20
Empty	2.5 Meter Length	



PLS 012 (Surface)

LED	11w / Feet	W 35 / H 35
Empty	3 Meter Length	



PLS 016 (Walkover - IP 20)

LED	5.5w / Feet	W 21.3 / H 26.1
Empty	2 Meter Length	



PLS 017 (Step Surface)

LED	5.5w / Feet	W 48 / H 18.7
Empty	2 Meter Length	





RGB Max Length: 5 Meter Role



Strip Light (12v)

IP 20	LE 3904 / 2835	White / Warm White / Natural White Red/ Blue/ Pink
IP 65	LE 3950 / 3528	White / Warm White Red / Blue / Green
IP 68	LE 3929 / 3528	White Blue/ Green/ Red
IP 20	LE 3951 / 5050	White / Natural White Blue
IP 65	LE 3952 / 5050	White Blue/ Green / Red
IP 68	LE 3930 / 5050	White Blue / Green
IP 20	LE 3957 / 5050 (60 LED's/mtr)	5 Mtr RGB Strip Light Full Set in Blister Packing

LED Strip Light - IP 20 Application : Cove Lighting & Profile Lighting

LE 4015 - 24v	120 LEDs / Mtr	17w / Mtr	3000K / 4500K / 6000K
LE 4016 - 12v	120 LEDs / Mtr	17w / Mtr	
LE 4018 - 12v	240 LEDs / Mtr	20w / Mtr	
LE 4019 - 12v (5mm strip)	120 LEDs / Mtr	14w / Mtr	



Mini LED Driver Switch Mode Power Supply

2 Amp.	AC 2275 - 2835 / 3528	Black
4 Amp.	AC 2279 - 5050	Black
8 Amp.	AC 2269 - 5050	Black
15 Amp.	AC 2305 - 5050	Black



Neon Flex

IP 65

Description	Code	CCT	LED /mtr
AC 220V	PONF 01	WH / WW / NW	120 No's
	PONF 03	Blue	120 No's
	PONF 05	Purple	120 No's
	PONF 21	RGB	72 No's



AC 220v Strip do not use Underwater

ACCESSORIES KIT FOR SINGLE COLOUR

Power Cord	Middle Connector	End Cap	Mounting Clip & Screw	IP 65 Connector :
1 Set Per Meter Free			IP 65 Connector :	

ACCESSORIES KIT FOR RGB

Power cord with Remote	Middle Connector	End Cap	IP 65 Connector	Mounting Clip & Screw
1 Set Per Meter Free			1 Set Per Meter Free	

Max Length : 50 Meter / Role | Power : 8w/mtr | Cutting Mark : 1 meter

⚠ Must use PVC glue to glue the interface



Neon Flex

IP 65

Description	Code	CCT	LED /mtr
AC 220V	PONF 11	White/ W.White	60 No's
	PONF 13	Blue	

Max Length : 50 Meter / Role | Power : 4.5w/mtr | Cutting Mark : 1mtr



AC 220v Strip do not use Underwater

⚠ Must use PVC glue to glue the interface

ACCESSORIES KIT

Power Cord	Middle Connector	End Cap	Mounting Clip & Screw	IP 65 Connector
1 Set Per Meter Free			1 Set Per Meter Free	

Scale light




4w	PILC 04	L 325mm / W 23mm / H 7.5mm		
8w	PILC 05	L 585mm / W 23mm / H 7.5mm	Silver	3000K/ 4500K/ 6000K
14w	PILC 06	L 900mm / W 23mm / H 7.5mm		
20w	PILC 07	L 1200mm / W 23mm / H 7.5mm		



Code	Item	Power	Dimensions	Colour Temp.
PILC 01	Minilink Light Bar - Cabinet Light	5w	L 300/ W 18 / H 8	4000K
PILC 02	Minilink Light Bar - Cabinet Light	9w	L 600/ W 18 / H 8	4000K
PILC 03	Minilink Light Bar - Cabinet Light	17w	L 1200/ W 18 / H 8	4000K

Please Note : Driver not Included.

Accessories



Code	Item	Description
PILC S01	Cabinet Light Spares	Right Connector
PILC S02	Cabinet Light Spares	Left Connector
PILC S03	Cabinet Light Spares	H Joint Connector
PILC S04	Cabinet Light Spares	Power Line Cable

Mini link - Constant Voltage Drivers



Code	Wattage	Item	Description
PIPS - 03 (APV)	8w	24v SMPS Driver - 350mA	Suitable for 1 Feet
PIPS - 04 (APV)	12w	24v SMPS Driver - 500mA	Suitable for 1 & 2 Feet
PIPS - 05 (APV)	16w	24v SMPS Driver - 670mA	Suitable for 17w - 4 Feet
PIPS - 06 (APV)	25w	24v SMPS Driver - 1050mA	Suitable for 2+4 Feet
PIPS - 07 (LRS)	35w	24v SMPS Driver - 1500mA	Suitable for 1,2 & 4 Feet

Suitable Driver for Profiles

Model	Description	Wattage
PIPS 03 (APV) / PIPS 051 (APV)	24v - 350mA / 12v - 670mA	8w
PIPS 04 (APV)	24v - 500mA	12w
PIPS 05 (APV) / PIPS 028 (APV)	24v - 600mA / 12v - 1250mA	16w
PIPS 06 (APV) / PIPS 025 (APV)	24v - 1050mA / 12v - 2100mA	25w
PIPS 07 (LRS) / PIPS 021 (LRS)	24v - 1500mA / 12v - 3000mA	35w
PIPS 016 (LRS) / PIPS 022 (LRS)	24v - 2200mA / 12v - 4200mA	50w
PIPS 015 (LRS) / PIPS 023 (LRS)	24v - 3200mA / 12v - 6000mA	75w
PIPS 018 (LRS) / PIPS 024 (LRS)	24v - 4500mA / 12v - 8500mA	100w
PIPS 019 (LRS) / PIPS 027 (LRS)	24v - 6500mA / 12v - 12500mA	150w
PIPS 031 (LRS) / PIPS 034 (LRS)	24v - 8800mA / 12v - 17000mA	200w
PIPS 032 (LRS) / PIPS 030 (LRS)	24v - 14500mA / 12v - 29000mA	350w


APV - 12% GST & LRS - 18% GST



Constant Panel Driver

4w	DR 011	4 - 12V 300mA
5w - 7w	DR 012	13 - 24V 300mA
8w - 12w	DR 013	27 - 40V 300mA
13w - 18w	DR 015	36 - 65V 300mA
19w - 24w	DR 052	55 - 92V 300mA
25w - 36w	DR 053	45 - 65V 600mA

12v / 24v Linear Power Supply for Strips and Profiles

Product	Model	Vol	Discription	Size L / W / H	Wattage
	PIPS 037	12v	5000mA	145mm / 53mm / 22mm	60w
	PIPS 038	12v	8000mA	168mm / 53mm / 22mm	100w
	PIPS 039	12v	12500mA	235mm / 53mm / 22mm	150w
	PIPS 040	12v	16500mA	308mm / 53mm / 22mm	200w
	PIPS 042	12v	25000mA	308mm / 53mm / 22mm	300w
	PIPS 08	24v	2500mA	145mm / 53mm / 22mm	60w
	PIPS 09	24v	4000mA	168mm / 53mm / 22mm	100w
	PIPS 10	24v	6250mA	235mm / 53mm / 22mm	150w
	PIPS 17	24v	8000mA	308mm / 53mm / 22mm	200w
	PIPS 43	24v	12500mA	308mm / 53mm / 22mm	300w



Surface
Sensor



Recess
Sensor



Hand Wave
Sensor



Wardrobe
Sensor

Smart Sensors

SNSR 01	D ϕ 75mm / H 27.60mm
SNSR 02	D ϕ 75.5mm / C ϕ 62mm / H 58mm
SNSR 03	L 74.6mm / W 36.1mm / H 21mm (Driver)
SNSR 04	L 38mm / W 17mm / H 19.5mm (Sensor)




Outdoor Lights

Outdoor Lights

Designed to sustain a lifetime of tough environmental conditions, this outdoor ceiling mounted luminaire is precisely designed die-cast housing face plate with a symmetrical downwards throw.




Power : 6w
Finish : Graphite Grey
CCT : 3000K



POSC 01




Power : 10w
Finish : White
CCT : 3000K / 6500K



POSC 07




Power : 12w
Finish : Graphite Grey
CCT : 3000K



POSC 04




Power : 25w
Finish : White
CCT : 3000K / 6500K



POSC 08




Power : 5w
Finish : White
CCT : 3000K



POSC 06




Power : 18w
Finish : Graphite Grey
CCT : 3000K



POSC 09




Wattage : 5w
Dimension : D ϕ 60 / H 16
CCT : 3000K/4500K/6000K
Finish : Black/White/Grey



POSC 03



Wattage : 10w
Dimension : D ϕ 100 / H 16
CCT : 3000K/4500K/6000K
Finish : Black/White/Grey



POSC 11

- Aluminium Die Cast Construction
- Tempered Glass Diffuser
- Silicone Rubber





CREE
LEDs




Garden Spike Light

7w	POGS 02	L 100 / W 65 / H 239	Grey	3000K
12w	POGS 03	L 110 / W 75 / H 289		

Surface Series

7w	POGS 02A	L 100 / W 65 / H 87	Grey	3000K
12w	POGS 03A	L 110 / W 75 / H 93		





GU 10 Spike

GU 10	POGS 04	L 129 / W 60 / H 245	Grey
-------	---------	----------------------	------




LS 1234

Power : 3w
Finish : Black
CCT : 3000K / 6000K



LS 1235


Power : 2 x 3w
Finish : Black
CCT : 3000K / 6000K



LS 1229


Power : 5w
Finish : Black
CCT : 3000K / 6000K
CCT : Green

EPISTAR LED





POSL 02

Power : 6w
Finish : Graphite Grey
CCT : 3000K






POSL 03

Power : 12w
Finish : Graphite Grey
CCT : 3000K




POSL 04

Power : 18w
Finish : Graphite Grey
CCT : 3000K






Power : 3w
Finish : Grey
CCT : 3000K



POWL 05




Power : 2 x 3w
Finish : Grey
CCT : 3000K



POWL 06




Power : 2 x 3w
Finish : Grey
CCT : 3000K



POWL 08




Power : 1 x 3w
Finish : Grey (Inner Gold)
CCT : 3000K



POWL 12




Power : 2 x 3w
Finish : Grey
CCT : 3000K



POWL 13




Power : 4 x 1w
Finish : Grey
CCT : 3000K



POWL 17




Power : 6w
Finish : Grey
CCT : 3000K



POWL 19




Power : 1 x 3w
Finish : Grey
CCT : 3000K



POWL 22




Power : 3 x 1w
Finish : Grey
CCT : 3000K



POWL 25




Power : 4 x 1w
Finish : Grey
CCT : 3000K



POWL 26




Power : 20w
Finish : Grey
CCT : 3000K



POWL 27



Power : 6 x 1w
Finish : Grey
CCT : 3000K




POWL 29






Power : 8w
Finish : Grey
CCT : 3000K




POWL 30




Power : 6+1w
Finish : Grey
CCT : 3000K



POWL 32




Power : 5w
Finish : Grey
CCT : 3000K



POWL 41




Power : 9w
Finish : Grey
CCT : 3000K



POWL 42




Power : 8w
Finish : Grey
CCT : 3000K



POWL 43




Power : 5w
Finish : Grey
CCT : 3000K



POWL 47




Power : 5w
Finish : Grey
CCT : 3000K



POWL 55




Power : 10 x 1w
Finish : Grey
CCT : 3000K



POWL 56



Power : 6w
Finish : Grey
CCT : 3000K



POWL 58



Power : 6w
Finish : Grey
CCT : 3000K



POWL 59




Power : 6w
Finish : Grey
CCT : 3000K



POWL 60




Power : 8w
Finish : Grey
CCT : 3000K



POWL 61



Power : 13w
Finish : Grey
CCT : 3000K




POWL 62







Power : 12w
Finish : Grey
CCT : 3000K



POWL 63




Power : 2 X 12w
Finish : Grey
CCT : 3000K



POWL 64




Power : 6w
Finish : Grey
CCT : 3000K



POWL 65




Power : 2 x 6w
Finish : Grey
CCT : 3000K



POWL 66




Product : Beam Wall Light
Power : 3w (1 Way)
Finish : Grey
CCT : 3000K



POWL 67



Product : Beam Wall Light
Power : 2 x 3w (2 Way)
Finish : Grey
CCT : 3000K



POWL 68




POWL 76
Blowtorch

Product : RGB Colour
Blowtorch
Power : 3 x 1w / 2 Way
Finish : Graphite Grey
CCT : RGB



POWL 78
Blowtorch

Product : RGB Colour
Blowtorch
Power : 4 x 1w / 3 Way
Finish : Graphite Grey
CCT : RGB




POWL 79

Power : 16w
Finish : Grey
CCT : 3000K



POWL 80


Power : 16w
Finish : Grey
CCT : 3000K






POWL 81

Power : 7w (2x3.5w)
 Finish : Grey
 CCT : 3000K




POWL 82

Holder : E 27
 Finish : Grey




POWL 83

Holder : GU 10
 Finish : Grey




POWL 84

Power : 8w
 Finish : Grey
 CCT : 3000K




POWL 85

Power : 12w
 Finish : Grey
 CCT : 3000K




POWL 86

Power : 12w
 Finish : Grey
 CCT : 3000K




POWL 87

Power : 6 x 1w
 Finish : Grey
 CCT : 3000K




POWL 88

Power : 3 x 2w
 Finish : Grey
 CCT : 3000K




POWL 89

Power : 8 x 1w
 Finish : Grey
 CCT : 3000K



POWL 90

Power : 3w
 Finish : Grey
 CCT : 3000K



POWL 91

Power : 2x3w
 Finish : Grey
 CCT : 3000K



POWL 92


Power : 4x3w
 Finish : Grey
 CCT : 3000K






Big Cypress

Model : B 10732
 Power : B-22
 Finish : Black/ Grey
 Antique silver
 Material : Alu. Casting



Mini Cypress

Model : B 10812
 Power : B-22
 Finish : Black/ Grey
 Antique silver
 Material : Alu. Casting



Axle

Model : B 10731
 Power : B-22
 Dimension: L 150 / W 150 / H 215
 Finish : Black/ Grey



Sago - Small


Model : B 10733
 Power : B-22
 Dimension : PD 50 / H 300
 / C φ120



Jazz Bollard

10w	B 10828	300mm
	B 10820	500mm

Finish : Grey
 CCT : 3000K / 6000K




Product : Jazz Wall Light
 Model : W 13005
 Power : 10w
 Finish : Grey
 CCT : 3000K / 6000K



Snow Bollard

10w	H 10793	300mm
	H 10786	500mm
	H 10790	800mm



A B


Laser Bollard

5w	B 10814 (A)	300mm
	B 10814 (B)	



Poly Bollard

10w	H 10795	300mm
	H 10796	500mm
	H 10797	800mm





Chloe Bollard

10w	B 10864	300mm
	B 10865	500mm

Finish : Grey
CCT : 3000K / 6000K




Product : Chloe Wall Light
Model : W 13006
Power : 10w
Finish : Grey
CCT : 3000K / 6000K



Calvin Bollard

8w	B 10861	200mm
	B 10862	500mm


Finish : Grey
CCT : 3000K / 6000K



Celerio Bollard

10w	B 10871	300mm
	B 10872	500mm
	B 10873	800mm


Finish : Grey
CCT : 3000K / 6000K



Coral Bollard

6w	POBL 12A	300mm
	POBL 12B	500mm


Finish : Grey
CCT : 3000K / 6000K



Crafter Bollard

6w	POBL 13A	300mm
	POBL 13B	500mm

Finish : Grey
CCT : 3000K / 6000K



Tab Bollard

E 27	POBL 16A	300mm
	POBL 16B	500mm
	POBL 16C	800mm

Finish : Grey






Valin Bollard

6w	B 10760	300mm
	B 10761	600mm

Finish : Grey
CCT : 3000K / 6000K




Product : Valin Wall Light
Model : W 12140
Power : 6w
Finish : Grey
CCT : 3000K / 6000K



Kobra Bollard

6w	B 10825	300mm
	B 10826	500mm

Finish : Grey
CCT : 3000K / 6000K




Product : Wall Light
Model : W 13002
Power : 6w
Finish : Grey
CCT : 3000K / 6500K




Maria Bollard

10w	B 10757	300mm
	B 10758	500mm
	B 10759	800mm

Finish : Grey
CCT : 3000K / 6000K




Product : Maria Wall Light
Model : W 12139
Power : 10w
Finish : Grey
CCT : 3000K / 6000K




Slim Kin Bollard

B-22	B 10851	300mm	Grey
	B 10852	500mm	
	B 10853	800mm	




Slim Peta Bollard

B-22	B 10854	300mm	Grey
	B 10855	500mm	
	B 10856	800mm	



Abia Bollard

B - 22	B 10754	300mm
	B 10755	500mm
	B 10756	800mm
10w	B 10802	300mm
	B 10803	500mm
	B 10806	800mm



Finish : Grey
CCT : 3000K / 6000K

Product : Abia Wall Light
Model : W 12138
Power : B - 22


Model : W 12164
Power : 10w
CCT : 3000K / 6000K





Peta Bollard

B - 22	B 10748	300mm
	B 10749	500mm
	B 10750	800mm
10w	B 10796	300mm
	B 10797	500mm
	B 10798	800mm




Product : Peta Wall Light
 Model : W 12136
 Power : B - 22

 Model : W 12162
 Power : 10w
 CCT : 3000K / 6500K



Kin Bollard

B - 22	B 10751	300mm
	B 10752	500mm
	B 10753	800mm
10w	B 10799	300mm
	B 10800	500mm
	B 10801	800mm




Product : Kin Wall Light
 Model : W 12137
 Power : B - 22

 Model : W 12163
 Power : 10w
 CCT : 3000K / 6000K



Duster Bollard

B-22	B 10830	200mm
	B 10831	500mm
	B 10832	800mm
10w	B 10833	200mm
	B 10834	500mm
	B 10835	800mm



Product : Duster Wall Light
 Model : W 13003
 Power : B - 22



Model : W 13004
 Power : 10w
 CCT : 3000K / 6000K



Matrix Bollard

10w	B 10836	D ϕ 105 / H 300	Grey
	B 10837	D ϕ 105 / H 500	
	B 10838	D ϕ 105 / H 800	



Brushsteel Flat Bollard

B-22	H 10733 - 1Ft	D ϕ 100 / H 300	Mat Brushsteel
	H 10726 - 2Ft	D ϕ 100 / H 500	
	H 10727 - 3Ft	D ϕ 100 / H 800	





Description	Model	Dimension	Finish	CCT
10w	POFL 01	L 500 / W 40 / H 55	Aluminium	Blue / RGB
Driver	POPS 09	24V DC -15w Power Supply Suitable For POFL01		Blue (Driving 1Piece)



Description	Model	Dimension	Finish	CCT
12w	POFL 02	L 500 / W 40 / H 55	Gun Metal	3000K
24w	POFL 03	L 1000 / W 40 / H 95		



Description	Model	Dimension	Finish	CCT
36w	POFL 04	L 1000 / W 60 / H 82	Graphite Grey	RGB

*With Remote Controller




POSL 05

Product : Planter Light
 Power : 36w
 Finish : Graphite Grey
 CCT : 3000K



IP 65



POFL 05



Product : Fascade Light
 Power : 10w
 Dimension : L 115 / W 105 / H 90
 Finish : Graphite Grey
 CCT : 3000K / Blue / Purple / Red


POFL 05 / 25+ Feet



Recess Foot Light




Power : 3w
Finish : Graphite Grey
CCT : 3000K



POFW 03




Power : 3w
Finish : Graphite Grey
CCT : 3000K



POFW 04



Power : 6w
Finish : Graphite Grey
CCT : 3000K





POFW 06



Power : 7w
Finish : Graphite Grey
CCT : 3000K

SENSOR LIGHT




POFW 07

Foot Light with Motion Sensor




Product : Kwid Foot Light
Power : 3w
Finish : Grey
CCT : 3000K / 6000K



FT 2157



Product : Kwid Foot Light
Power : 6w
Finish : Grey
CCT : 3000K / 6000K




FT 2156

Surface Foot Light




Product : Audi Foot Light
Power : 3w
Finish : Grey
CCT : 3000K / 6000K



FT 2154




Product : Audi Foot Light
Power : 6w
Finish : Grey
CCT : 3000K / 6000K



FT 2155



Product : LED Grill Foot Light
Power : 12w
Finish : Graphite Grey
CCT : 3000K





FT 2160







POIU 01

Power : 0.5w
 Finish : Aluminium
 CCT : 3000K / Blue





POIU 02

Power : 1w
 Finish : Stainless Steel
 CCT : 3000K





POIU 03

Power : 3w
 Dimension : D ϕ 90mm / H 70mm / C ϕ 76mm
 Finish : SS + Black Case
 CCT : 3000K




POIU 04

Power : 6 x 1w
 Finish : Stainless Steel
 CCT : 3000K





POIU 05

Power : 9 x 1w
 Finish : Stainless Steel
 CCT : 3000K



POIU 06

Power : 15w
 Dimension : L 180mm / W 146mm / H 90mm
 Finish : Stainless Steel
 CCT : RGB



Driver : POPS 01 (24v AC - 30w)
 (Driving 1 No.)



POIU 09

Product: Urbas burial
 Power : 3w
 Finish : Graphite Grey
 CCT : 3000K
 Dimension: D ϕ 60 / H 110 / C ϕ 60



1 way Urbas burial




2 way Urbas burial



3 way Urbas burial



4 way Urbas burial




- Aluminium Die Cast Construction
- P.C. / Glass Vandal Proof Diffuser
- Silicone Rubber Gasket.
- 220-240V / 24V, 50Hz




POUW 01

Power : 9w
 Finish : Stainless Steel
 CCT : 3000K / Blue

Driver : POPS 12 (24v AC - 15w)
 (Driving 1 No.)



Beam Angle




POUW 02

Power : 18w
 Finish : Stainless Steel
 CCT : RGB

Driver : POPS 01 (24v AC - 30w)
 (Driving 1 No.)



Beam Angle




POUW 09

Power : 4 X 1w
 Finish : Stainless Steel
 CCT : 3000K / Blue / RGB

Driver : POPS 11 (24v AC - 5w)



Beam Angle




POUW 10

Power : 9 X 1w
 Finish : Stainless Steel
 CCT : 3000K
 CCT : RGB

Driver : POPS 13 (24v AC - 15w)



Beam Angle



RGB : 10 Seconds Auto F



POUW 14


Recessed Fixture

Power : 15w
 Finish : Brushsteel
 CCT : 3000K

Driver : PIPS 06 (24v 25w - 1050mA)
 (Driving 1 No.)




Beam Angle



CONNECTOR - IP 65

Connector 01

1 Way In - 1 Way Out





10w SMD	FL 2071	L 185 / W 154 / H 45	Black	3000K / 6000K
20w SMD	FL 2072	L 185 / W 154 / H 45	Black	3000K / 6000K
30w SMD	FL 2073	L 230 / W 195 / H 50	Black	3000K / 6000K
50w SMD	FL 2085	L 285 / W 240 / H 60	Black	3000K / 6000K



100w SMD	FL 2086	L 335 / W 293 / H 85	Black	3000K / 6000K
150w SMD	FL 2087	L 425 / W 325 / H 87	Black	3000K / 6000K
300w SMD			Black	3000K / 6000K
400w SMD			Black	3000K / 6000K



LIDO MODEL FLOOD LIGHT

50w	FL 2098	L 285 / W 240 / H 60	Black	3000K / 4000K / 6000K
100w	FL 2099	L 335 / W 293 / H 85	Black	3000K / 4000K / 6000K
150w	FL 2100	L 425 / W 325 / H 87	Black	3000K / 4000K / 6000K
200w	FL 2101	L 425 / W 325 / H 98	Black	3000K / 4000K / 6000K



30w Lens	FL 2102	L 185 / W 155 / H 44	Grey	3000K / 6000K
50w Lens	FL 2103	L 223 / W 192 / H 50	Grey	3000K / 6000K
100w Lens	FL 2104	L 283 / W 239 / H 55	Grey	3000K / 6000K
150w Lens	FL 2105	L 346 / W 280 / H 73	Grey	3000K / 6000K
200w Lens	FL 2106	L 425 / W 325 / H 78	Grey	3000K / 6000K



50w Lens	FL 2091	L 185 / W 240 / H 38	Grey	3000K / 6000K
100w Lens	FL 2092	L 305 / W 245 / H 38	Grey	3000K / 6000K
150w Lens	FL 2093	L 305 / W 350 / H 38	Grey	3000K / 6000K
200w Lens	FL 2094	L 395 / W 382 / H 60	Grey	3000K / 6000K



250w Flood Light Tempo Copper	FL 2010	L 420 / W 400 / H 140	Black
400w Flood Light Tempo Copper	FL 2011	L 420 / W 400 / H 140	Black

UFO Highbay with Lens

IP 65



50w	POHB 01	D ϕ 250 / H 200	Black	3000K / 6000K
100w	POHB 02			
150w	POHB 03	D ϕ 350 / H 200		
200w	POHB 04			



OSRAM LED

Surge Protection 4.0 KV



12w	SL 1948	L- 325 / W- 100
20w	SL 1980	H- 50 / PD- 40



30w	SL 1983	L- 395 / W- 148
42w	SL 1984	H- 55 / PD- 40

Grey
Die Cast Aluminium | 3000K / 6000K



72w	SL 1986	L 415/ W 193/ H 55/ PD 40
110w	SL 1917	L 575/ W 245/ H 75/ PD 60
150w	SL 1981	L 575/ W 245/ H 75/ PD 60
200w	SL 1982	L 685/ W 305/ H 70/ PD 60

Grey | 3000K / 6000K



12w	SL 2001	L 275 / W 80 / H 60 / PD 38
20w	SL 2002	L 275 / W 80 / H 60 / PD 38
30w	SL 2003	L 325 / W 80 / H 65 / PD 38
42w	SL 2004	L 400 / W 120 / H 80 / PD 50

Grey | 3000K / 6000K



With Lens



20w	SL 2011	L 338/ W 110/ H 50/ PD 42
36w	SL 2012	L 392/ W 145/ H 65/ PD 38
50w	SL 2013	L 435/ W 207/ H 70/ PD 53

Grey | 3000K / 6000K



Motion Sensor

SOLAR STREET LIGHT

30w	SL 1991	L 630 / W 250 / H 70 / PD 55
40w	SL 1992	L 630 / W 317 / H 70 / PD 60

Grey

SLIM STREET LIGHT



24w	SL 2026	L 305/ W 107/ H 50/ PD 38
36w	SL 2027	L 353/ W 127/ H 42/ PD 28
50w	SL 2028	L 385/ W 161/ H 51/ PD 38
70w	SL 2029	L 370/ W 163/ H 53/ PD 38
100w	SL 2030	L 475/ W 163/ H 53/ PD 48

Grey | 3000K / 6000K



Street Light Clamp	Clamp 1	φ 38
Street Light Clamp	Clamp 2	φ 42
Street Light Clamp	Clamp 3	φ 50

Suitable for
12w / 20w / 30w / 42w
Grey
Suitable for 24w / 72w



L 10512 L 10521 - Dior

I4 / Dior Gate Light

4 x 1w	L 10512	D ϕ 195 / H 275 / PD 53	Black	3000K / 6000K
12w	L 10521	D ϕ 195 / H 325 / PD 53	Black	3000K / 6000K



Leo

7w	U 10068	D ϕ 175 / H 245 / PD 53	Top Black Bottom Clear	3000K / 6000K
12w	U 10069	D ϕ 265 / H 290 / PD 53		



A- Star

7w	U 10070	D ϕ 170 / H 330 / PD 53	Top Black Bottom Clear	3000K / 6000K
	U 10071	D ϕ 170 / H 368 / PD 53		



B-22 Star Black Wall Light

Mini	W 12084	D ϕ 72 / H 16 / C ϕ 62	Black/ White	B - 22
Maxi	W 12087	D ϕ 82 / H 20 / C ϕ 72		



U 10072
Suitable for Pole



U 10073
Suitable for surface
Post top

Scion

20w	U 10072	D ϕ 250 / H 375 / PD 60	Black	3000K / 6000K
	U 10073	D ϕ 250 / H 375		



I-10



I-20

I-10 / I-20

10 x 1w	L 10480	D ϕ 335 / H 405 / PD 50	Top Plate Blue / Black	3000K / 6000K
28 x 1w	L 10481	D ϕ 450 / H 545 / PD 60		



Royce - 1

10w	POPT 001	D ϕ 175 / H 245 / PD 50	Grey	3000K / 6000K
-----	----------	------------------------------	------	---------------



Royce - 2

20w	POPT 003	D ϕ 270 / H 275 / PD 50	Grey	3000K / 6000K
-----	----------	------------------------------	------	---------------



Viro

30w	POPT 005	D ϕ 300 / H 430 / PD 50	Grey	3000K / 6000K
-----	----------	------------------------------	------	---------------



Luce Post Top Clear

40w	POPT 010	D ϕ 333 / H 385 / PD 75	Black / Clear	3000K / 6000K
	POPT 011		Black / Milky	



Cory

Curly

Cory & Curly Gate Light

20w	L 10516	L 305 / W 315 / H 550 / PD 60	Black	3000K / 6000K
	L 10517			



Ray

Marlin

Brisk

Ray Gate Light

7w	POPT 004	D ϕ 190 / H 273 / PD 52	Grey	3000K / 6000K
----	----------	------------------------------	------	---------------

Marlin Gate Light

12w	POPT 006	D ϕ 300 / H 353 / PD 56	Grey	3000K / 6000K
-----	----------	------------------------------	------	---------------

Brisk Gate Light

12w	POPT 009	D ϕ 100 / H 300 / PD 50	Grey	3000K / 6000K
-----	----------	------------------------------	------	---------------



Dory Gate Light

20w	POPT 007	D ϕ 267 / H 380 / PD 55	Grey	3000K / 6000K
-----	----------	------------------------------	------	---------------

30w	POPT 008	D ϕ 267 / H 410 / PD 55	Grey	3000K / 6000K
-----	----------	------------------------------	------	---------------



L 10468

L 10470

L 10472

Ring Gate Light

B-22 - Micro	L 10468	D ϕ 278 / H 365 / PD 53	Black
--------------	---------	------------------------------	-------

B-22 - Roma	L 10470	D ϕ 272 / H 300 / PD 53	Black
-------------	---------	------------------------------	-------

B-22 - Light Home	L 10472	D ϕ 335 / H 400 / PD 53	Black
-------------------	---------	------------------------------	-------



L 10477

L 10493

L 10476

Roma / Micro Liner Gate Light

B-22 Neno	L 10477	D ϕ 193 / H 335 / PD 53	Black
-----------	---------	------------------------------	-------

B-22 Punesia	L 10493	D ϕ 193 / H 210	Black
--------------	---------	----------------------	-------

B-22 - Bertram	L 10476	D ϕ 190 / H 260 / PD 53	Black
----------------	---------	------------------------------	-------



T 10808

T 10871

Micro / Nano Ring Gate Light

B-22 Micro (Clear)	T 10808A	D ϕ 270 / H 335 / PD 53	Brushsteel
--------------------	----------	------------------------------	------------

B-22 Micro (Milky)	T 10808B	D ϕ 270 / H 335 / PD 53	Brushsteel
--------------------	----------	------------------------------	------------

B- 22	T 10871	D ϕ 193 / H 320 / PD 53	Brushsteel
-------	---------	------------------------------	------------



B-22 Mini	U 10001	D ϕ 175 / H 240 / PD 53	Milky / Black
	U 10009		
	U 10013		
	U 10017		



B-22 Mini Piazza	U 10035	D ϕ 195 / H 260 / PD 53	Black
B-22 Star Big	U 10065	D ϕ 183 / H 370 / PD 53	
B-22 Piazza Black	X 10139	D ϕ 290 / H 345 / PD 53	




B-22 Star White	U 10061	D ϕ 183 / H 330 / PD 53	Black
B-22 Star Black	U 10062		
B-22 - Puma Mini Ring	U 10049	D ϕ 175 / H 250 / PD 53	Black



B-22 Maxi	X 10101	D ϕ 270 / H 290 / PD 53	Top White Bottom Milky
B-22 Maxi	X 10117A		Top Clear Bottom Clear
B-22 Maxi	X 10117B		Top Clear Bottom Milky
B-22 Maxi	X 10123		Top Black Bottom Milky




8" Milky Globe	G 10926	Milky
10" Milky Globe	G 10927	
12" Milky Globe	G 10928	



Aviation Light

B- 22	AL 2102 - Single	D ϕ 170 / H 245
	AL 2103 - Double	L 400 / W 170 / H 250
LED (Red)	AL 2104 - Single	D ϕ 170 / H 245
	AL 2105 - Double	L 400 / W 170 / H 250



12w Seilco	D 11066		L 310 / W 140 / H 90	Grey PC Body	3000K / 6000K
B - 22 Seilco	D 11071				
12w Casio	D 11067				
B - 22 Casio	D 11072				
12w Celio	D 11068				
B - 22 Celio	D 11073				



10w LED Velox	D 11061	L 165 / W 165 / H 60	Black	3000K / 6500K
10w LED Lipsy	D 11062	L 165 / W 165 / H 65		
10w LED Cross	D 11063	L 165 / W 165 / H 60		



12w Macro	D 11060	L 220 / W 220 / H 50		
B - 22 Macro	D 11053			
12w Kevin	D 11054	L 255 / W 128 / H 85	Available with Black/Grey	3000K / 6000K
B - 22 Kevin				
12w Allium	D 11055	L 255 / W 128 / H 85		
B - 22 Allium				



B-22 Cronus	D 11051	L 255 / W 128 / H 95	Available with Black/Grey
B-22 Voilas	D 11052	L 255 / W 128 / H 95	
B-22 Rai	D 11056	L 265 / W 133 / H 95	



7w LED Armin	D 11064	L 225 / W 128 / H 95	Grey	3000K / 6000K
7w LED Owl	D 11065			
7w LED Hype	D 11074	L 219 / W 120 / H 43	Grey	3000K / 6000K
7w LED Puma	D 11075			



10w LED Hino	D 11057	L 270 / W 135 / H 95	Available with Black/Grey
10w LED Riley	D 11058	L 268 / W 135 / H 90	
10w LED Joss	D 11059	L 268 / W 135 / H 93	



B-22 Rubus	D 11044	L 270 / W 135 / H 95	Available with Black/Grey
B-22 Toyon	D 11046	L 268 / W 135 / H 90	
B-22 Virginia	D 11049	L 268 / W 135 / H 93	



B-22 Bilberry	D 11047	H 110 / C ϕ 260	Casting Black
2 x 26w CFL - E 27	POBH 04	L 360 / W 360 / H 130	Casting Graphite Grey




Dace and Dice BULKHEAD

7w	D 11076	L 200/W 100/H 55	White/Black
7w	D 11077	L 200/W 100/H 55	White/Black




Pole Lights



Xenon Pole X - I

Model	Height
X - I	10 Feet
	12 Feet
	15 Feet
Power	: 30w
Pole Dimension	: 100 X 100 mm
Bed Size / Thickness	: 200 X 200 X 6mm
Housing Material	: Aluminium
Body Colour	: Grey / Black
6ow M.R.P	: On Request



Xenon Pole X - II

Model	Height
X - II	10 Feet
	12 Feet
	15 Feet
Power	: 2 X 30w
Pole Dimension	: 80 X 120 mm
Bed Size / Thickness	: 200 X 200 X 6mm
Housing Material	: Aluminium
Body Colour	: Grey / Black
2 X 6ow M.R.P	: On Request



Xenon Pole X - III

Model	Height
X - III	10 Feet
	12 Feet
	15 Feet
Power	: 30w
Pole Dimension	: 100 X 100 mm
Bed Size / Thickness	: 200 X 200 X 6mm
Housing Material	: Aluminium
Body Colour	: Grey / Black
6ow M.R.P	: On Request



Xenon Pole X - IV

Model	Height
X - IV	10 Feet
	12 Feet
	15 Feet
Power	: 30w
Pole Dimension	: 100 X 100 mm
Bed Size / Thickness	: 200 X 200 X 6mm
Housing Material	: Aluminium
Body Colour	: Grey / Black
6ow M.R.P	: On Request




Xenon Pole X - V

Model	Height
X - V	10 Feet 12 Feet 15 Feet
Power	: 2 x 30w
Pole Dimension	: 100 X 100 mm
Bed Size / Thickness	: 200 X 200 X 6mm
Housing Material	: Aluminium
Body Colour	: Grey / Black
2 x 60w M.R.P	: On Request



Xenon Pole X - VI

Model	Height
X - VI	10 Feet 12 Feet 15 Feet
Power	: 30w
Pole Dimension	: 80 X 120 mm
Bed Size / Thickness	: 200 X 200 X mm
Housing Material	: Aluminium
Body Colour	: Grey / Black
60w M.R.P	: On Request



Xenon Pole X - VII

Model	Height
X - VII	10 Feet 12 Feet 15 Feet
Power	: 30w
Pole Dimension	: 80 X 120 mm
Bed Size / Thickness	: 200 X 200 X 6mm
Housing Material	: Aluminium
Body Colour	: Grey / Black
60w M.R.P	: On Request



Pyramid Post Top (Post Top)

Model	Power
P 20521	1 x 50w
P 20525	5 x 50w
Body Colour	: Grey / Black
Housing	: Aluminium Casting

Aramis Post Top

Model : P20501 (Post Top)

Power : 75w / 150w

Body Colour : Grey / Black

Housing: Aluminium



Viper Post Top

Model : P 20491 (Post Top)

Power : 25w / 50w

Body Colour : Grey / Black

Housing : Aluminum



Mushroom Post Top

Model	Dimension	Power
P 20515	D ϕ 345 / H 100 / PD ϕ 35	45W
P 20511	D ϕ 650 / H 180 / PD ϕ 78	75W
P 20512	D ϕ 650 / H 180 / PD ϕ 78	150W

Body Colour : Grey / Black

Housing : Aluminium

Trio Post Top

Model : P 20505 (Post Top)

Power : 60w

Body Colour : Grey / Black

Housing : Aluminium



Mille Post Top

Model : P20504 (Post Top)

Power : 70w

Dimension : D ϕ 440 / H 450 / PD ϕ 48

Body Colour : Grey / Black

Housing : Aluminium Casting



Vectra Post Top

Model : P20503(Post Top)

Power : 60w

Body Colour : Grey / Black


Housing : Aluminium





Euro 1 Post Top

Model	Dimension	Power
PH 001	D ϕ 450 / H 577 / PD ϕ 76	70w
Body Colour	: Grey / Black	
Housing	: Aluminium	




Elvis Post Top

Model	Dimension	Power
P 20580	D ϕ 420 / H 425 / PD ϕ 50	50w
P 20581	D ϕ 605 / H 435 / PD ϕ 50	70w
Body Colour	: Grey / Black	
Housing	: Aluminium	




Euro 2 Post Top

Model	Dimension	Power
PH 002	D ϕ 450 / H 318 / PD ϕ 76	70w
Body Colour	: Grey / Black	
Housing	: Aluminium	




Galileo Pole

Model	Height
P 20079	8Ft
P 20080	10Ft
P 20081	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Finish	: Mild Steel
Body Colour	: Black / Grey



Swing Pole - 1

Model	Height
P 20471	10 Feet
P 20472	12 Feet
Power	: 25w
Head Dia / Height	: ϕ 100mm / 200mm
Pipe Dia	: ϕ 76mm
Bed Size / Thickness	: 200 X 200 X 6mm
Finish	: Mild Steel
Body Colour	: Grey / Black



Swing Pole - 2

Model	Height
P 20473	10 Feet
P 20474	12 Feet
Power	: 2 X 25w
Head Dia / Height	: ϕ 100mm / 200mm
Pipe Dia	: ϕ 76mm
Bed Size / Thickness	: 200 X 200 X 6mm
Finish	: Mild Steel
Body Colour	: Grey / Black



Swing Pole - 11

Model	Height
P 20481	10 Feet
P 20482	12 Feet
Power	: 25w
Head Dia / Height	: ϕ 100mm / 250mm
Pipe Dia	: ϕ 76mm
Bed Size / Thickness	: 200 X 200 X 6mm
Finish	: Mild Steel
Body Colour	: Grey / Black



Swing Pole - 12

Model	Height
P 20483	10 Feet
P 20484	12 Feet
Power	: 2 X 25w
Head Dia / Height	: ϕ 100mm / 250mm
Pipe Dia	: ϕ 76mm
Bed Size / Thickness	: 200 X 200 X 6mm
Finish	: Mild Steel
Body Colour	: Grey / Black




Module lens with High Lumen Output



Cain Pole Light

Model	: P 20245
Power	: 30w / 60w
Body Colour	: Grey / Black
Bed Size / Thickness	: 200 x 200 x 6mm
Pipe Dia	: 100 x 100mm
Material	: Mild Steel
Height	: 10Ft, 12Ft, 15Ft



Cain - 2 Pole Light

Power	: 2 x 30w
Model	Height
P 20256	10Ft
P 20321	12Ft
	15Ft
Pipe Dia	: 100 x 100mm
Bed Size / hickness:	200 x 200 x 6mm
Finish	: Mild Steel
Body Colour	: Black / Grey
M.R.P - 2 x 60w	: On Request




Module lens with High Lumen Output



Evian Pole Light

Model	: P 20244
Power	: 30w / 60w
Body Colour	: Grey / Black
Bed Size / Thickness	: 200 x 200 x 6mm
Pipe Dia	: 100 x 100mm
Material	: Mild Steel
Height	: 10Ft, 12Ft, 15Ft



Windsor Pole (Square)

Model	Height
W 021	3Mtr
W 022	4Mtr
W 023	5Mtr
Bed Size / Thickness	: 200 x 200 x 6mm
Finish	: Mild Steel
Body Colour	: Black / Grey

Windsor Series
LED Pole Heads



New Module lens with High Lumen Output

Suitable for Pipe Dia : 100 x 100mm Pole.
Housing Material : Mild Steel




Model : W 001 (Single Arm)
Power : 30w
Dimension : L 600 / W 115 / H 375



Model : W 002 (Single Arm)
Power : 30w
Dimension : L 1000 / W 115 / H 375



Model : W 003 (Single Arm)
Power : 2 x 30w
Dimension : L 600 / W 200 / H 375




Model : W 004 (Single Arm)
Power : 2 x 30w
Dimension : L 1000 / W 200 / H 375




Model : W 005 (Double Arm)
Power : 2 x 30w
Dimension : L 1200 / W 115 / H 375




Model : W 006 (Double Arm)
Power : 2 x 30w
Dimension : L 2000 / W 115 / H 375



Model : W 007 (Double Arm)
Power : 4 x 30w
Dimension : L 1200 / W 200 / H 375



Model : W 008 (Double Arm)
Power : 4 x 30w
Dimension : L 2000 / W 200 / H 375



Model : W 009 (Single Arm)
Power : 30w
Dimension : L 1100 / W 115 / H 375



Model : W 010 (Double Arm)
Power : 4 x 30w
Dimension : L 2000 / W 200 / H 375




Model : W 011 (Double Arm)
Power : 8 x 30w
Dimension : L 2400 / W 200 / H 515



Model : W 012 (Single Arm)
Power : 2 x 30w
Dimension : L 800 / W 280 / H 310



Model : W 013 (Single Arm)
Power : 2 x 30w
Dimension : L 1200 / W 280 / H 360




Model : W 014 (Four Arm)
Power : 4 x 30w




Snow Pole (Mild Steel)

Model	Feet
P 20344	08Ft
P 20341	10Ft
Power	: 35W
Pipe Dia	: 100 x 100mm
Bed Size / Thickness	: 200 x 200 x 6mm
Finish	: Mild Steel
Body Colour	: Black / Grey



Lar Pole Light

Model	: P 20246
Power	: 10 Ft (Include Post top)
Power	: 20W
Wings Dimension	: 450 X 406mm
Pipe Dia	: ϕ 114mm
Bed Size / Thickness	: 200 x 200 x 6mm
Material	: Mild Steel
Body Colour	: Grey / Black



Zar Pole Light

Model	: P 20247
Power	: 10 Ft (Include Post top)
Power	: 20W
Wings Dimension	: 380 X 406mm
Pipe Dia	: ϕ 114mm
Bed Size / Thickness	: 200 x 200 x 6mm
Material	: Mild Steel
Body Colour	: Grey / Black



Xanto Pole Light

Model	: P 20248
Power	: 10 Ft (Include Post top)
Power	: 35W
Pipe Dia	: ϕ 114mm
Bed Size / Thickness	: 200 x 200 x 6mm
Material	: Mild Steel
Body Colour	: Grey / Black



1 Mtr P.C



Helix Pole Light

Model	Height
P 20461	10 Feet
P 20462	12 Feet
Power	: 40w
Pipe Dia	: 100 X 100mm
Finish	: Mild Steel
Body Colour	: Grey / Black



Embrace Pole Light


Model	Height	Power
P 20451	500mm	20w
P 20452	1000mm	40w
Total Length	: 10 feet	
Pipe Dia	: φ 100mm	
Bed Size / Thickness	: 200 X 200 X 6mm	
Finish	: Mild Steel	
Body Colour	: Grey / Black	



Tuskar - 1 Pole Light

Model	Height
P 20042	8Ft
P 20043	10Ft
P 20044	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Housing Material	: Mild Steel
Body Colour	: Black / Grey


Can Also Be Made suitable for LED Street Lights



Tuskar - 2 Pole Light

Model	Height
P 20052	10Ft
P 20053	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Housing Material	: Mild Steel
Body Colour	: Black / Grey

Can Also Be Made suitable for LED Street Lights



Opera - 1 Pole Light

Model	Height
P 20062	8Ft
P 20063	10Ft
P 20064	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Finish	: Mild Steel
Body Colour	: Black
Holder	: B - 22


With Luminaries



Opera - 2 Pole Light

Model	Height
P 20071	8Ft
P 20072	10Ft
P 20073	12Ft
Bed Size	: 200 x 200
Thickness	: 6mm
Housing Material	: Mild Steel
Body Colour	: Black
Holder	: B - 22

With Luminaries



Ring Lantern Pole Light

Model	Height
P 20068	8Ft
P 20069	10Ft
P 20070	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Finish	: Mild Steel
Body Colour	: Black
Holder	: B - 22

With Doom & Glass



Road king- 2 Pole Light

Model	Height
P 20007	8Ft
P 20008	10Ft
P 20009	12Ft
Bed Size / Thickness	: 200 x 200 x 6mm
Finish	: Mild Steel
Body Colour	: Black
Holder	: B - 22

With Doom & Glass



Empire - 2 Pole Light

Model	Height
P 20019	8Ft
P 20020	10Ft
P 20021	12Ft
Bed Size / Thickness : 200 x 200 x 6mm	
Finish	: Mild Steel
Body Colour	: Black

Without Gate Light



Ring Pole Light

Model	Height
P 20059	8Ft
P 20060	10Ft
P 20061	12Ft
Bed Size / Thickness : 200 x 200 x 6mm	
Finish	: Mild Steel
Body Colour	: Black

Without Gate Light



Olampia - 1 Pole Light

Model	Height
P 20056	8Ft
P 20057	10Ft
P 20058	12Ft
Bed Size / Thickness : 200 x 200 x 6mm	
Finish	: Mild Steel
Body Colour	: Black

Without Gate Light



Olampia - 4 Pole Light

Model	Height
P 20010	8Ft
P 20011	10Ft
P 20012	12Ft
Bed Size / Thickness : 200 x 200 x 6mm	
Finish	: Mild Steel
Body Colour	: Black

Without Gate Light



Exendra - 1

Model	Height
P 20022	8Ft
P 20023	10Ft
P 20024	12Ft
Bed Size / Thickness : 200 x 200 x 6mm	
Housing Material : Mild Steel	
Body Colour : Black	

Without Globe



Exendra - 2

Model	Height
P 20027	8Ft
P 20028	10Ft
P 20029	12Ft
Bed Size / Thickness : 200 x 200 x 6mm	
Housing Material : Mild Steel	
Body Colour : Black	

Without Globe



Jorg Pole Light

Model	Height
P 20268	10Ft
P 20269	12Ft
Bed Size / Thickness : 200 x 200 x 6mm	
Finish : Mild Steel	
Body Colour : Black	

Without Gate Light



Pristine Pole Light

Model	: P 20181
Height	: 10 Feet
Bed Size / Thickness	: ϕ 290 X 12mm
Finish	: Aluminium Casting
Body Colour	: Grey




Indus Pole Light

Model	: P 20180
Height	: 10 Feet
Bed Size / Thickness	: 230 x 230 x 6mm
Finish	: Aluminium Casting
Body Colour	: Grey



Sigma Pole Light

Model	: P 20365
Height	: 10 Feet
Bed Size / Thickness	: 200 x 200 x 6mm
Pole Finish	: Mild Steel
Gate Light Finish	: Cast Iron
Body Colour	: Black / Grey



Decorative Pole Light


Model	: P 20367
Height	: 12 Feet
Bed Size / Thickness	: 200 x 200 x 6mm
Finish	: Mild Steel
Body Colour	: Black / Grey

With Gate Light (B-22)



Akhil Pole Light

Model	Height	
P 20175	7Ft	on request
P 20168	2Ft	on request
Finish	: Cast Iron	
Body Colour	: Black / Grey	



Volvo Wall Bracket

Model : P 20108
Finish : Mild Steel
Body Colour : Black / Grey

Without Gate Light



Voxon Wall Bracket

Model : P 20112
Finish : Mild Steel
Body Colour: Black / Grey

Without Gate Light



Voxon Mini Wall Bracket


Model : P 20115
Finish : Mild Steel
Body Colour: Black / Grey

Without Gate Light



Exendra Wall Bracket


Model : P 20104
Finish : Mild Steel
Body Colour : Black / Grey



Decorative Head

Model	P 20280	P 20281
Dimension:	D ϕ 450 / H ϕ 340 / PD ϕ 38	D ϕ 600 / H 500 / PD ϕ 38mm
M.R.P :	B-22 30w / 50w	B-22 / 70w / 100w


Finish: Alluminum + Acrylic
Body Colour : Black / Grey



Jocab Pole Light

Model	Height
P 20270	10Ft
P 20271	12Ft


Bed Size / Thickness : 200 x 200 x 6mm
Housing Material : Mild Steel
Body Colour : Black



Fontana Pole

Model	Height
P 20265	5mtr
P 20265	6mtr
P 20265	7mtr

Material : Mild Steel



Height : including luminarie, not only pole.

Note : All poles are without luminaries. Poles, with foundation bolts & nuts

Veenus Pole

Model	Height
P 20519	5mtr
P 20519	6mtr
P 20519	7mtr

Material : Mild Steel

Fabio Pole

Model	Height
P 20511	5mtr
P 20511	6mtr
P 20511	7mtr

Material : Mild Steel

Platina Single Arm Pole

Model	Height
P 20514	5mtr
P 20514	6mtr
P 20514	7mtr

Material : Mild Steel

Platina Double Arm Pole

Model	Height
P 20515	5mtr
P 20515	6mtr
P 20515	7mtr


Material : Mild Steel

Height : including luminarie, not only pole.

Note : All poles are without luminaries. Poles, with foundation bolts & nuts


Avenue Pole Light

Model	Height
P 20516	5mtr
P 20516	6mtr
P 20516	7mtr
Material : Mild Steel	




Modena Pole Light

Model	Height
P 20523	5mtr
P 20523	6mtr
P 20523	7mtr
Material : Mild Steel	




Jaguar Pole Light

Model	Height
P 20522	5mtr
P 20522	6mtr
P 20522	7mtr
Material : Mild Steel	



Davis - 1 Pole Light

Model	Height
P 20258	5mtr
P 20258	6mtr
P 20258	7mtr
Material : Mild Steel	



Davis - 2 Pole Light

Model	Height
P 20261	5mtr
P 20261	6mtr
P 20261	7mtr
Material : Mild Steel	



Solar Pole Light

Power	: 12W / 20W
Height	: 4.5 Mtr
M.R.P.	: On Request
Dimension(mm):	114 mm
Bed Size / Thickness:	6mm
Material	: Mild Steel
Body Colour	: Black
With Panel & Battery	

Custom height, wattage, battery backup and panel sizes are available.

Height : including luminaire, not only pole.

Note : All poles are without luminaires. Poles, with foundation bolts & nuts



SMD Highbay

50w	IHL 100	D ϕ 390 / H 340	Die Cast Aluminium	3000K / 6000K
-----	---------	----------------------	--------------------	---------------



IF 1718
With Poly Carbonate Bowl

Integrated well Glass

B-22	IF 1718	D ϕ 190 / H 270	Grey
40w	IF 1772	D ϕ 165 / H 105	Grey
70w	IF 1773		Grey



LED Sign Boards

LE 3922	Acrylic Glass	3000K / 6000K Red / Blue / Green
---------	---------------	-------------------------------------



Civis

3w - Round	FT 2151	D ϕ 45 / H 85
3w - Square	FT 2152	D ϕ 65 / H 43
Finish : White CCT : 3000K / 6000K		



Aluminum Frame Light

3 x 3w Wall Light	UP 3530	Aluminum	3000K / 6000K
-------------------	---------	----------	---------------



Surface Panel

30w	LDL 161	Round	D ϕ 272 / H 38	White	3000K / 6000K
-----	---------	-------	---------------------	-------	---------------



Clean Room

32w	IF 1767	L 595 / W 295 / C ϕ 567 x 270	White	6000K
50w	IF 1769	L 1250 / W 250 / H 50 / C ϕ 1228 x 190		



LED Paralite

32w	RM 1330	L 595 / H 70 / C ϕ 570 x 570	White	6000K
-----	---------	-----------------------------------	-------	-------




Track Spot Light

5w	TL 3315	White	3000K / 6000K
7w	TL 3303	White	3000K / 6000K
7 x 1w	TL 3374		



Surface Clean Room

2 x 36w	IF 1750 - 2GII	L 595 / W 255 / H 70	White
---------	----------------	----------------------	-------



Reflector

10" Powder Coated	IF 1740	L 575 / W 240 / H 70	White
10" Anodised	IF 1741	L 1250 / W 255 / H 70	Aluminium



Electric / Slim Box Type

1 x 36w (T8)	CR 1109	L 1235 / W 45 / H 75	White
2 x 36w (T8)	CR 1108		
1 x 36w Slim (Cop.)	CR 1011		
2 x 36w Slim (Cop.)	CR 1013		
1 x 36w - Slim (LED)	CR 1109		
2 x 36w - Slim (LED)	CR 1108		

OUTDOOR STREET LIGHTS



150w MH	SL 1918	Die Cast Aluminium
250w MH	SL 1919	



Surface / Pendant Mount Dust & Moisture Proof Luminaire	SL 1963 1x28w T5	L 1285/ W 155/ H 102	Poly Carbonate
	SL 1964 2x28w T5		Poly Carbonate



2 x 14 T5	SL 1939	Grey
2 x 24 T5	SL 1957	



LDL 016

5w Step Downlight | LDL 016 - Round | D ϕ 70 / H 40 / C ϕ 55 | 3000K / 6000K | White |



LDL 009



Smile

12w Downlight | LDL 009 - Square | L-W 110/ H 95 / C ϕ 90 | 3000K / 6000K | White |

18w Downlight | LDL 008 - Square | L-W 130/ H 125 / C ϕ 110 | 3000K / 6000K | White |

10w Downlight | LDL 125 - Round | D ϕ 115/ H 75 / C ϕ 90 | 3000K / 6000K | White |

20w Downlight | LDL 126 - Round | D ϕ 145/ H 90 / C ϕ 125 | 3000K / 6000K | White |



LDL 039



LDL 062

3w Tilttable Downlight | LDL 039 - Square | L-W 60/ H 40 / C ϕ 45 | 3000K / 6000K | White |

8w Tilttable Downlight | LDL 062 - Square | L-W 110/ H 95 / C ϕ 90 | 3000K / 6000K | White |



LDL 032

15w Tilttable Downlight | LDL 032 - Round | D ϕ 133 / H 85 / C ϕ 110 | 3000K / 6000K | White |



LDL 205



LDL 027



LDL 104

10w Lime Downlight | LDL 205 - Round | D ϕ 165 / H 58 / C ϕ 150 | 3000K / 6000K | White |

15w Downlight with Milky Glass | LDL 027 - Round | D ϕ 180 / H 85 / C ϕ 165 | 3000K / 4500K/ 6000K | White |

15w Downlight with Milky Glass | LDL 104 - Square | L-W 160/ H 75 / C ϕ 150 | 3000K / 4500K/ 6000K | White |



18w Benz Panel Light | LDL 084 - Square | L-W 180/ H 30 / C ϕ 155 | White + Blue | White |

18w Benz Panel Light | LDL 086 - Round | D ϕ 180/ H 30 / C ϕ 155 | White + Blue | White |



Vento Round Panel

16w | LDL 107 | D ϕ 200/ H 32 / C ϕ 165 | 3000K/4500K/6000K | White |

Swift Panel

14w
(12w+2w) | LDL 153 | Round | D ϕ 193/ H 35 / C ϕ 160 | White + Blue | 6000K |



2x18w Deluxe Downlight | DL 3024 | D ϕ 115 / C ϕ 160 | White |

1x18w Deluxe Downlight | DL 3025 | D ϕ 115 / C ϕ 160 | White |

2x18w B/S Deluxe Downlight | DL 3026 | D ϕ 115 / C ϕ 160 | White |

2x18w Mat Deluxe Downlight | DL 3002 | D ϕ 115 / C ϕ 160 | White |



HL 3203



HL 3202

12 / 50w Square Zoom Without Choke | HL 3203 | D ϕ 75 / H / C ϕ 97 | White |

12 / 50w - B/S Room | HL 3202 | H 65 / C ϕ 268 | White |



AZ 2961




AZ 2962

2x18w Silm Downlight Without Choke	DS 3104	D ϕ 268 / H 65	White
2x18w BS Silm Downlight Without Choke	DS 3105	D ϕ 268 / H 65	Brushsteel
12 / 50w Zoom Without Choke	AZ 2960	D ϕ 75 / C ϕ 97	White
12 / 50w - B/S Zoom Without Choke	AZ 2961	D ϕ 75 / C ϕ 97	White
70w Downlight	AZ 2962	H 145 / C ϕ 205	White
150w Downlight	AZ 2963	H 145 / C ϕ 205	White



7w Oxon - Electronic With Tube	T5 1917	3000K / 6000K	White
14w Oxon - Electronic With Tube	T5 1913	3000K / 6000K	White



1x12/50w Gridlite	GL 3701	L- 100 / W- 100 / H- 55 / C- f80	White
1x12/50w B/S Gridlite	GL 3702	L- 100 / W- 100 / H- 55 / C- f80	White
3 x 12/50w B/S Gridlite	GL 3706	L- 245 / W- 100 / H- 55 / C- f230	White
4 x 12/50w Gridlite	GL 3709	L- 177 / W- 177 / H- 55 / C- f155	White
4 x 12/50w B/S Gridlite	GL 3710	L- 177 / W- 177 / H- 55 / C- f155	White



2 x 70w CDMT Gridlite	CD 3902	L - 310 / W 154 / D 105	White
3 x 70w CDMT Gridlite	CD 3903	L - 158 / W 158 / H 160	White

NOTES

Ingress Protection system

Protection against ingress of solid bodies, dust and moisture:

The ingress protection system (IP) EN 60529, 1991 defines various degrees of protection against the ingress of foreign bodies, dust and moisture. The term 'foreign bodies' includes things like fingers and tools coming into contact with the electrical live parts of the luminaire.

Both safety aspects (contact with live parts) and harmful effects on the function of the luminaire are defined. The exact testing method for each IP classification is described in EN 60529.

Note that the conditions during testing might differ from the specific conditions in an application

The designation to indicate the degree of protection consists of the characteristic letters Ip followed by 2 digits indicating conformity with the conditions stated in two tables.

It is important to realize that the specification and safety of luminaires are only secured if the necessary maintenance according to the instructions of the manufacturer is carried out in time. Luminaires are not available in all possible combinations of ingress and moisture protection. The most common applications of the IP classifications for luminaires are:

IP20:

Luminaires which can be applied indoors only if no specific pollution rates are expected. Offices, dry, heated industrial halls, shops, shopping malls and theatres are typical application segments.

IP21/22:

Luminaires which can be applied in unheated (industrial) halls and under Canopies as the luminaires are drip-and condensation-water-protected.

IP23:

Luminaires which can be applied in unheated industrial halls or outdoors.

IP43/44:

Luminaires and bollards for outdoor street lighting and street lanterns. Bollards mounted at a low height are protected against small solid objects and against rain and splash.

A common combination within an industrial high-bay luminaire or street lantern is Ip 43 for the electrical part of the luminaire, to secure safety, and IP 54/65 for the optical part of the luminaire, to prevent pollution of reflector and lamp.

IP 50:

Luminaires which are applied in dusty environments, to prevent rapid pollution of the luminaire.

The exterior of IP 50 luminaires can be cleaned easily. In the food industry closed luminaires are specified to prevent glass particles from accidentally broken lamps entering the production area and contaminating the products under preparation.

Although ingress protection is specified to protect the luminaire function, it also means that particles cannot leave the luminaires housing. Thereby meeting the specification of the food industry. In the 'wet' food industry luminaires meeting the IP 50 classification shall not be applied.

IP 54:

The traditional water-protected classification. Luminaires can be cleaned with water without any harmful effect. This classification is often specified in the food processing industry, for industries where dust moisture are generated in the hall, and for use under canopies.

IP 60:

Luminaires which are completely sealed against dust accumulation, and are used in very dusty environments (wood and textile industry, stone carving) and in the food industry as explained above. IP 60 luminaires are rarely applied; IP 65/IP 66 is usually applied instead.

IP 65/ 66

Jet-proof luminaires which are applicable where the surroundings are hosed down frequently by water jets, or where luminaires are applied in a dusty environment. Although the luminaires are not fully watertight, the potential ingress of moisture will not have any harmful effect on the luminaire function. IP65/66 luminaires are often available in impact-protected versions.

IP67/68

Luminaires complying with this classification are suitable for immersion in water.

Typical application areas are underwater lighting of swimming pools and fountain lighting.

Deck lighting on ships should also meet this classification. The test method does not imply that IP 67/68 luminaires meet the IP 65/66 classification as well.


First Number	Description	Explanation	Second Number	Description	Explanation
0	Not protected	Not protected	0	Not protected	Non protected against moisture
1	Hand protected	Protected against solid objects exceeding 50 mm in diameter	1	☼ Drip proof against Vertical water drops	Water drips falling vertically shall have no harmful effect.
2	Finger protected	Protected against finger contact with live parts and against objects exceeding 12 mm in diameter	2	Drip-proof when tilted At angles up to 15°	Water drips shall have no harmful effect.
3	Tool protected	Protected against contact with live parts by tools, wire or similar objects over 2.5 mm thick; and Protection against penetration of Solid objects exceeding 2.5 mm in diameter	3	☼ Rain-/Spray Proof	Water falling at an angle of up to 60° shall have no harmful effect.
4	Wire protected	Protected against contact with Live parts by tools, wire or similar Objects over 1 mm thick; and Protection against penetration of Solid objects exceeding 1mm in diameter	4	☼ Splash Proof	Splashing water from any direction shall have no harmful effect.
5	Dust accumulation protected	Complete protection against Contact with live parts and against Harmful accumulation of dust some dust may penetrate but not to the extent that operation is impaired	5	☼☼ Jet-Proof	Water protected by a nozzle from any direction shall have no harmful effect. (Nozzle dia 6.3mm, pressure 30 kpa)
6	Dust penetration protected	Complete protection against contact with live parts and against penetration of dust.	6	Jet-Proof	Water protected by a nozzle from any direction shall have no harmful effect. (Nozzle dia 12.5mm, pressure 100 kpa)
			7	Water tight	Watertight; temporary immersion in water under specified conditions of pressure and time possible without ingress of water in harmful quantities.
			8	Pressure Water tight	Pressure Water tight; continuous submersion in water under specified conditions of and time possible without ingress of water in harmful quantities.

TERMS & CONDITIONS:-

1. The prices quoted above are nett.
2. All local taxes are payable as applicable.
3. Prices are subject to change without prior notice.
4. This cancels all our previous price lists.
5. The above prices are on ex-godown basis.
6. Packing and forwarding charges extra.

All dimensions are in millimeter
 L = Length, B = Breadth, H = Height,
 D = Depth, W = Width.

Custom Design Welcome



Please refer Our
Pavilion Catalogue for
Mirror Lights, Hangings & Wall Lights

Authorised Dealer

www.pasolite.in



Pasolite Electricals Pvt. Ltd.

#24/1A, 2nd Phase, Gerupalya Main Road, Kumbalgodu, Bengaluru - 74
Ph : 080-2843 7568, E-mail : info@pasolite.net